

D3.1 Annex: DPP Related Initiatives

(V2) June 2023



Funded by the European Union



Document Revision History									
Date	Version	Author/Contributor/Reviewer	Summary of Main Changes						
10/05/2023	V1	SLR, CEA, Polimi							
01/06/2023	V2	SLR, CEA, Polimi	13 additional initiatives						

LEGAL NOTICE

Funded by the European Union. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Health and Digital Executive Agency (HaDEA). Neither the European Union nor the granting authority can be held responsible for them.



Preparing the ground for the gradual piloting and deployment of DPPs from 2023 onwards, focusing on developing a roadmap for prototypes in three value chains: electronics, batteries and textiles.

Grant Agreement: 101083432 Theme: DIGITAL-2021-TRUST-01 Start Date of Project: 01 October 2022 Duration: 18 months

© CIRPASS Consortium, 2023 Reproduction is authorised provided the source is acknowledged.



2



Introduction

This document is a supplementary Annex to the CIRPASS report 'Benchmark of existing DPP reference architectures' (CIRPASS Deliverable 3.1). This Annex provides summary profiles, organized according to a common template, of initiatives that are related to the Digital Product Passport (DPP). It thus provides the European Commission and the DPP stakeholder community with an overview of potentially relevant services and products. Summary details of 32 initiatives were included in the original report. As the CIRPASS consortium continues to collect information on numerous additional DPP-related initiatives, updates to this Annex will be regularly published on the <u>CIRPASS website</u>.

Please note that the information contained in these summary profiles was provided by the organisations responsible for the initiatives. Minimal, if at all, editing is performed by the CIRPASS consortium on the contributions received.

Please note that the CIRPASS consortium accepts all requests to be included in this Annex.

Please note that the summary profiles of DPP-related initiatives are published for information purposes only. The CIRPASS project does not endorse or promote any specific initiatives.

The table below lists the DPP-related initiatives included in this Annex. The summary profiles that have been added or updated (with revised information provided by the organisation responsible for the initiative) in this version of the Annex are highlighted with colour.

If you are involved in a DPP-related initiative and you would like a summary profile to be included in this Annex, then please contact the CIRPASS consortium at <u>info@cirpassproject.eu</u>.

ID in D3.1 report	Initiative short name
	ARIANEE DPP
1	<u>atma.io</u>
2	BP
3	Wordline B-TraaS
4	<u>CircThread</u>
5	<u>Circular.fashion</u>
	COSMILE-App, health&media
6	<u>CYCLANCE</u>
7	DDCC
8	DIBICHAIN
9	<u>DigiPrime</u>
10	DNV
11	<u>EasyBat</u>
12	EON





13	EPEAT Ecolabel
14	<u>eReuseDPP</u>
15	<u>FEDeRATED</u>
16	<u>GTS</u>
	Goods Tag GmbH
17	<u>itmatters</u>
	<u>Kezzler</u>
	Log Data Hub
	<u>Loopcycle</u>
	The OK Supply Chain
	Management platform
18	Peppol
	PRODUCT DNA®
19	<u>QI-Digital</u>
	<u>QI-Cloud</u>
20	<u>RCS BP</u>
21	<u>RR</u>
	Spherity GmbH
	STVgoDigital Texjourney
	<u>Tappr</u>
22	Worldline TCS
23	<u>TextileGenesis</u>
	The ID Factory Società Benfit
24	<u>Tings</u>
25	Tokenized Distributed Ledger
26	<u>Toxnot</u>
	<u>Trackit</u>
27	Worldline TPD
28	TRACE
29	<u>TRICK</u>
30	TrusTrace
	Twintag
31	Vine
	whatt.io
32	ZVEI DPP4.0



. . .



1 Table of Contents

Introduction	
Arianee Tokenized DPP	
Atma.io	9
ВР	
Worldline B-Traas	
CircThread	
Circular.fashion	
COSMILE-APP, health&media	
Cyclance	
DDCC	
DIBICHAIN	
DigiPrime	
DNV	
EasyBat	
EON	
EPEAT Ecolabel	
eReuseDPP	
FEDeRATED	
GTS	
GoodsTag GmbH Smart Products Plat	form
itmatters	
Kezzler	
Log Data Hub	
Loopcycle	
The OK Supply Chain Management pl	atform65
Peppol	
Product DNA [®]	
QI-Digital	
QI-Cloud	
RCS BP	
RR	



. . .

Spherity DPP Solution	82
STVgoDigital Texjourney	85
Tappr	88
Worldline TCS	91
TextileGenesis	94
The ID Factory Società Benefit	96
Tings	
Tokenized Distributed Ledger	101
Toxnot	
Trackit	
Worldline TPD	
TRACE	112
TRICK	115
TrusTrace	118
Twintag	120
Vine	123
whatt.io	127
ZVEI DPP4.0	132

. . .

Arianee Tokenized DPP

Arianee Tokenized DPP

Arianee enables brands to issue Tokenized DPP at scale using eco-friendly web3 technologies and NFT standards. Its tokenized DPP (enriched and dynamic NFTs) aim to accelerate the consumption revolution by unlocking 5 utilities (eg: by enabling high product circularity while extending product life cycle)

Mapping with respect to the reference framework										
Product ID	<u>Type</u>		Insta	nce				Categ	ory	
Trouder Ib	<u>Granularity</u>	Mod	lel	Bat	ch		Prod. order		Single	e item
	<u>Type</u> RF	ID C	QR Code	Digi wateri	tal mark	Blue la	luetooth label		e (Other
Product data	Machine readab	<u>ole</u>		Yes				١	NO	
Curren	<u>data carrier</u>									
	<u>Resolver</u>			Yes				١	١o	
Digital	ID minting			Centrali	zed			Decen	tralized	
connector	<u>Data storage loc</u>	ation		Centrali	zed			Decentralized		
IT architecture:	<u>Openness</u> <u>level</u>	Standa	rdized	Proprietary I			Data ports Others			ers
transport	Data packaging		Data transfer				ΑΡΙ			
IT	<u>Level</u>	Simple				Advanced				
Access control	<u>If advanced</u>		At	Attribute based Role based					based	
IT architecture: Data use	<u>Labelling</u>		Enforcement				Others			
іт	<u>Evidence</u>		Blockcha	ain	V Cr	/erifia reden	erifiable edentials		Others	
architecture: Data mgmt features	<u>Convenience</u>		Walle	t	D	ata P	orts		Other	S
	Data protection		PETs		Ano	onymi	zation		Other	S
	<u>Traceability</u>		Tagging	(QR, NF	C, RFID)		Ot	Others	
		Uniq	ue techn	ical asp	ects					



-Arianee is developing tokenized Digital Product Passports built on the Arianee Protocol which is based on public blockchain. It allows decentralised, independent, and secure verification so that all users can trust each other without relying on a single centralising third party. The Arianee protocol enables management of custom assets called certificates. Certificates are non-fungible tokens (NFTs) compliant with the Ethereum's ERC-721 standard. They represent a unique, either digital or real-life product with its unique metadata stored as a data imprint on a distributed ledger. The Arianee protocol is blockchain agnostic and easily deployable with any Ethereum compatible blockchain. Based on manufacturers' choice, DPP data is stored either on decentralised/distributed cloud service providers (IFPS) or less frequently on centralised cloud service providers (AWS, Microsoft, OVH etc..)

Maturity level and application sectors

Arianee tokenized DPP contributes to the acceleration of the circular consumption revolution in particular in the luxury, retail & fashion sectors by unlocking 5 utilities:

- Upstream product information: it provides (incl. before buying) consumers with insight into the product manufacturing for transparency, traceability, and recycling

- Certificate of ownership and authenticity: authenticity proof created at product inception, transferable with each ownership change for trust in resale (key enabler for circularity)

- Product lifecycle management tool: maintenance booklet records product lifecycle events and offers add-on services (key enabler for durability)

- CRM tool: maintain a perpetual, direct connection with the product holders and enable access to exclusive experiences

Links:

<u>Arianee | Leading NFT Platform for Digital Product Passports</u> and a <u>use case</u> in the luxury sector Arianee & BCG study: the case for native Digital Product Passport tokenization





Atma.io

atma.io										
End to end traceability platform.										
Mapping with respect to the reference framework										
Product ID	<u>Туре</u>		Insta	Instance			Category			
i i cuuci ib	Granularity			Bat	ch		Prod. ord		Sir	ngle item
	<u>Type</u> R	FID (QR Code	Digi water	tal mark	Bluetooth label		Bar Cod	e	Other
Product data carrier	<u>Machine reada</u> <u>data carrier</u>	<u>ble</u>		Yes				٦	10	
	<u>Resolver</u>			Yes				١	١o	
Digital	ID minting			Centrali	ized			Decen	traliz	zed
connector	Data storage lo	cation		Centrali	ized			Decen	traliz	zed
IT architecture:	<u>Openness</u> <u>level</u>	vel Standar			dardized Proprietary			Data ports Others		
transport	Data packaging	Data transfer				API				
IT	<u>Level</u>			Simpl	e			Advanced		
Access control	If advanced		At	tribute	based			Role	base	d
IT architecture: Data use	Labeling	5	E	Enforcer	nent			Ot	hers	
IT	<u>Evidence</u>		Blockch	ain	Ve Cre	erifial edent	ble tials		Ot	hers
architecture: Data mgmt	<u>Convenience</u>		Walle	t	Da	ita Po	orts		Ot	hers
features	Data protection	<u>n</u>	PETs		Anor	nymiz	ation		Ot	hers
	Traceability		Tagging	(QR, NF	C, RFID)			Ot	hers	
		Uniq	ue techn	ical asp	ects					

atma.io is built on a state-of-the-art microservices based architecture that follows domain-drivendesign principles. This architecture and design split the overall functionalities into loosely coupled services that can be developed, operated, and scaled independently. We are following a polyglot approach for the individual microservices which means that we are employing different technologies that are best suited for the specific domain of the individual services (both, from a persistence layer and programming language perspective). For highly scalable inter-service communication, we utilise asynchronous messaging technologies and a variety of design patterns



. .

to enable both horizontal and vertical scalability. atma.io provides REST-ful APIs for data exchange with external systems and applications. Our standard APIs are GS1 EPCIS compatible to facilitate an easy data exchange with other systems. In addition, we have a standardised way to integrate with Blockchain and Distributed Ledger. Our platform features state-of-the art data security and is designed from ground up to be highly interoperable, and optionally offers a fully redundant set-up.

Maturity level and application sectors

The solution is used by 6 of the 20 biggest fashion brands and traces ca. 23 billion unique items. There are other sectors that utilise our solutions, i.e. food, pharmaceuticals, beauty, packaging, logistics and automotive. We are continuously enhancing our services, enabled by quantitative feedback from the process implementation, piloting and scaling up existing solutions. The atma.io platform provides a range of configuration options, ranging from enabling specific features and modules over use-case specific configurations down to data schemas. We implemented role-based access control for authorisation. User accounts can be created with different access rights and privileges. For both the product-level and the item-level, atma.io uses a flexible schema, allowing additional fields to be captured and managed. atma.io is designed and built for processing data at very large scale and throughput. For example, our Serialization API in the standard configuration provides the ability to process 300 requests per second with a payload size of up to 1000 identifiers per request. We enable consumers to interact with products directly via targeted, contextual and personalized experiences (resolver).



BP

Battery Pass (BP)

The Battery Pass Project is developing cross-industry content and technical guidelines for a digital battery passport according to EU Battery Regulation requirements and to demonstrate them in a pilot project.

Mapping with respect to the reference framework										
Product ID	<u>Туре</u>		Inst	ance			Cate	gory		
	<u>Granularity</u>	Mode	el	Bat	ch	Prod. or	Prod. order Single			
	Type RFI	D	QR Code	Digi water	tal mark	Bluetooth label	Bar Code	Other		
Product data	Machine readat	<u>ole</u>	Vec				No			
Curren	data carrier			105						
	<u>Resolver</u>			Yes			I	No		
Digital	ID minting			Central	ized		Decen	ntralized		
connector	Data storage loo	<u>cation</u>		Central	ized		Decer	ntralized		
IT architecture:	Openness level	Standar	dized	Propr	ietary	Data po	Data ports Others			
transport			Data tra	nsfer		ΑΡΙ				
IT.	<u>Level</u>		Simp	le		Advanced				
Access control	<u>If advanced</u>		A	Attribute	based		Role based			
IT architecture: Data use	Labelling			Enforce	nent		Ot	hers		
іт	<u>Evidence</u>	1	Blockch	nain	Ve Cre	erifiable edentials		Others		
architecture: Data mgmt	<u>Convenience</u>		Walle	et	Da	ta Ports		Others		
features	Data protection		PET	S	Anon	nymization		Others		
	Traceability		Та	agging (Q	R)		Ot	Others		
		Uni	que te	chnical a	spects					

We consider the following technical aspects GAIA-X, NGSI-LD, SSI, comprehensive modular Standard Stack considering value chain, data processing and governance.

Maturity level and application sectors





Initially, the Battery Pass Project is scoping the automotive industry. But as discussed with stakeholders, most of the standard stack elements could be used for other products and sectors (e.g. GAIA-X specifications). The modularity of the standard stack architecture enables the exchange of sector specific aspects by not changing the entire architecture. As we are aiming to use existing standards for applying most adopted and mature standards.

Enterprise Interoperability Framework (ISO 11354)¹

Level:

- Business: harmonisation at the level of organization (i.e., methods of work, legislations, culture, ...)
- Process: how to connect internal processes of two companies to create a common one
- IT-Service: Identifying and composing independently designed and developed IT-Services
- Data: interoperability of data to find and share information (i.e., different data models) from heterogeneous bases
- Identification: Unique identification of products, organisations and people along the value chain



Barriers:

- · Conceptual barriers: syntactic and semantic differences of information to be exchanged
- Technological barriers: incompatibility of IT to present, store, exchange, process and communicate data
- Organisational barriers: They relate to the definition of responsibility (who is responsible for what?) and authority (who is authorised to do what?)

1) Source: https://www.researchgate.net/publication/220921500_Enterprise_Interoperability_Framework







Worldline B-Traas

Blockchain Trace (B-TraaS)

B-TraaS for Blockchain Traceability as a Service is an open product to allow creation, management and operability of specific traceability chain related to a product value cycle where multiple actors would be involved.

As an example, the solution could be used to trace the supply chain of Tuna fish from fishermen up to end consumer who acquire transformed tuna product in a shop. At each stage of the product life cycle, each actor will input information related to his operation to the traceability chain.

<table-container> Image Openness Image Im</table-container>	Mapping with respect to the reference framework										
Inductive GranularityGranularityModelBatchProd. orderSingle itemTypeRFIDQR CodeDigital watermarkBluetoth labelBar CodeOtherProduct data carrierMachine readable data carrier $RFID$ QR CodeDigital watermarkBluetoth labelBar CodeOtherMachine readable data carrierMachine readable data carrier $Verifiale$ $Verifiale$ $Verifiale$ $Verifiale$ $Other$ Digital connectorDminting Data storage location $Verifiale$ $Verifiale$ $Otheralized$ $Otheralized$ If architecture: Access controlOpenness level $Verifiale$ $Otheralized$ $Otheralized$ $Otheralized$ If architecture: Access controlLevel $Ievel$ $Ievel$ $Ievel$ $Ievel$ $Ievel$ $Ievel$ If architecture: Access controlLabelling $Ievel$ $Ievel$ $Ievel$ $Ievel$ $Ievel$ If architecture: Access control $Ievel$ $Ievel$ $Ievel$ $Ievel$ $Ievel$ $Ievel$ If architecture: Data use $Ievel$ $Ievel$ $Ievel$ $Ievel$	Product ID	Туре		Insta	nce			Categ	ory		
Image: Product data carrierImage: Product data data carrierRFIDQR CodeDigital watermarkBilletooth labelBar CodeOtherMachine result data carrierMachine result data carrier $\[mathbf{lefter}]\]\[mathbf{lefter}\]$	Trouder ID	<u>Granularity</u>	Mo	del	Bate	ch	Prod. o	rder	Single item		
Product data carrierMachine readable data carrierYes $\begin{tabular}{lllllllllllllllllllllllllllllllllll$		<u>Type</u> F	FID	QR Code	Digit waterr	tal I mark	Bluetooth label	Bar Code	e Other		
Image: Normal sector of the	Product data carrier	<u>Machine reada</u> <u>data carrier</u>	achine readable ata carrier					No			
$ \begin{array}{c c c c } \medskip \medsk$		<u>Resolver</u>			Yes			Ν	10		
$ \begin{array}{c c c c } \life \mbox{Centralized} & \begin{tabular}{ c c c } \hline \begin{tabular}{ c c c } \hline \begin{tabular}{ c c c } \hline \begin{tabular}{ c c } \hline \ \begin{tabular}{ c c } \hline \ \begin{tabular}{ c c } \hline \begin{tabular}{ c $	Digital	ID minting			Centrali	zed		Decen	tralized		
$ \begin{array}{c c c c } \label{eq:phase} \ \begin{tabular}{ c c } \label{eq:phase} \label{eq:phase} \ \begin{tabular}{ c c } \label{eq:phase} eq:phas$	connector	<u>Data storage l</u>	ocation		Centrali	zed		Decen	tralized		
Lond transportData packagingData transferAPIIT architecture: Access controlLevelSimpleAdvancedIf advancedAttribute basedRole basedIT architecture: Data useLabellingEnforceOthersIT architecture: Data useEvidenceBlockchainVerifiable CredentialsOthersIT architecture: Data ngmt featuresEvidenceWalletData PortsOthersIT architecture: Data ngmt featuresData protectionPETsAnonymiztionOthers	IT architecture:	<u>Openness</u> <u>level</u>	Standa	ardized Proprietary			Data po	orts	Others		
IT architecture: Access controlLevelSimpleAdvancedIf advancedAttribute basedRole basedIT architecture: Data useLabellingEnforceentOthersIT architecture: Data ngmt 	transport	<u>Data packagin</u>	g	Data transfer				A	PI		
architecture: Access controlIf advancedAttribute basedRole basedIT architecture: Data useLabellingEnforcementOthersIT architecture: Data useEvidenceBlockchainVerifiable CredentialsOthersIT architecture: Data mgmt featuresConvenienceWalletData PETsOthersIT architecture: Data mgmt featuresIt a protectionPETsAnonymiztionOthers	IT	<u>Level</u>		e		Adva	anced				
IT architecture: Data useLabellingEnforcementOthersIT architecture: Data mgmt featuresEvidenceBlockchainVerifiable CredentialsOthersIT architecture: Data mgmt featuresConvenienceWalletData PortsOthersIT architecture: Data mgmt featuresData protectionPETsAnonymizationOthers	Access control	If advanced		Attribute based				Role	Role based		
ITEvidenceBlockchainVerifiable CredentialsOthersarchitecture: Data mgmt featuresConvenienceWalletData PortsOthersData protectionPETsAnonymizationOthers	IT architecture: Data use	Labellin	g	Enforcement				Others			
architecture: Data mgmt featuresConvenienceWalletData PortsOthersData protectionPETsAnonymizationOthers	ІТ	<u>Evidence</u>		Blockcha	ain	Ve Cre	erifiable edentials		Others		
featuresData protectionPETsAnonymizationOthers	architecture: Data mgmt features	<u>Convenience</u>		Wallet	t	Da	ta Ports		Others		
		Data protectio	<u>n</u>	PETs		Anon	ymization		Others		
Traceability Tagging (QR, NFC, RFID) Others		Traceability		Tagging	Fagging (QR, NFC, RFID)			Others			
Unique technical aspects			Uniq	ue techn	ical aspe	ects					



B-TraaS has been designed in a way that enables the quick and easy creation of a traceability chain based on blockchain technology. Through a web interface, an economic operator would be able in a few clicks to define his traceability chain, input product characteristics to be traced, involve relevant stakeholders and finally generate their own private Blockchain. Through mobile apps or connecting production machines via standardised API, all actors involved would be able to exchange data via their own traceability blockchain.



The solution has been used in its first version under the brand "Origin" from bureau Veritas. <u>https://www.bureauveritas.fr/besoin/origin-la-solution-blockchain</u>



CircThread

CircThread

CircThread is a H2020 EU-funded project (2021 – 2025) with the objective to unlock access to product data for circular economy purposes. The main target is to facilitate information flow exchanges across the extended product life cycle from the product as manufactured to retailers, consumers, repairers, collectors, pre-treatment operators and recyclers, as a Circular Digital Thread using Digital Product Passports. The information can vary from data consisting of product characteristics, product components, their materials and chemicals data, and related circularity, environmental, social, and economic information. This data will be captured, linked, and shared on a cloud-based, collaborative ecosystem with a software platform and a linked circular data space with a core set of open-source modules, to allow all actors throughout the product life cycle to share the necessary information. To ensure that more materials and products stay in the economic loop, benefitting the sustainability of the economy and the environment and reducing carbon emissions.

Mapping with respect to the reference framework									
Product ID	<u>Type</u>	I	nstance			Category			
	<u>Granularity</u>	Model		Batch	Prod.	order	Single iter		
	Туре	QR Code	Digital waterma	Bluet rk lab	ooth el	Bar Code	Other		
Product data carrier	<u>Machine readal</u> data carrier	<u>ole</u>		Yes			No		
	<u>Resolver</u>			Yes			No		
Digital	ID minting		Centraliz	ed	Decentralized				
connector	Data storage lo	<u>cation</u>		Centralized			Decentralized		
IT architecture:	<u>Openness</u> level	lized F	Proprietary	Dat	a ports Others				
transport	Data packaging		Data transfer				ΑΡΙ		
IT architecture:	<u>Level</u>			Simple		1	Advanced		
Access control	If advanced		,	Attribute based			Role based		
IT architecture: Data use	Labelli	ng		Enforcem	ent		Others		
IT architecture:	<u>Evidence</u>	BI	ockchaiı	ı	Verifiab Credenti	ile ials	Ot	hers	





Data mgmt	<u>Convenience</u>	Wallet	Wallet Data Port							
reatures	Data protection	PETs	Anonymiza	tion Others						
TraceabilityTagging (QR, NFC, RFID)Others										
Unique technical aspects										

The CircThread Ecosystem will enable the following:

- The registration and validation of organisations and their users based on their roles across the life cycle of products.
- The central registration of product models, which form the basis of a model in a company's line of devices or appliances.
- The generation of Digital Product Passports for individual products under a product model. Based on a linkage between the product model, the product serial number that allows individual identification of a product, a QR code for the digital-physical linkage with resolver to the digital product information.
- The generation of product meta-data catalogues at the product model level to enable a registry of potentially available information for exchange at decentralized databases from the data provider.
- The exchange of documents referenced in a product meta-data catalogue based on the International Data Spaces reference model and associated IT infrastructure.
- The decentralized linking of software services to the data space, also referred to as external data apps, which can connect to the information exchange system, so as to process product information.

Maturity level and application sectors

Pilots: batteries; boilers; solar photovoltaic glass; washing machines; dishwashers.

Services: 14 product life cycle information exchange and management services at TRL 4 to 5 at start of the project.

Platform: first prototype under development

Dataspace: first prototype under development using IDSA test-bed & Fraunhofer connector.



16



CircThread IT architecture diagram: www.circthread.com

T5.1 report – CircThread architecture overview and schematics:

https://circthread.com/download/deliverable-5-1-architecture-overview-and-schematics/



Circular.fashion

Circular.fashion

Circular.fashion is a sustainable change agency creating software and system innovation for a circular economy in fashion and textiles. Their DPP initiative, the circularity.ID[®] is a digital platform containing product transparency information, along with essential material data, to enable a holistic circular system. The objectives are to provide data to facilitate circular business models such as resale, rental and recycling at end-of-life and meanwhile increasing transparency of sustainability efforts and empowering customers.

The system is built on the circularity.ID[®] Open Data Standard which has been developed to power circular practices and ensure longevity and recyclability, taking into account insights and requirements for making a product circular from material to design, use and sorting.

Data stored in the system can be reached using circularity.ID[®] data carriers that are attached to the garments and contain a URL for consumers and a machine-readable identifier.

	Mapping with respect to the reference framework								
Product ID	<u>Туре</u>		Insta	ince			Category		
	<u>Granularity</u>	Mod	el	Bat	ch	Prod. or	der	Single item	
	<u>Type</u> R	FID C	R Code	Digi water	tal E mark	Bluetooth label	Bar Code	Other	
Product data carrier	<u>Machine reada</u> <u>data carrier</u>	<u>ble</u>		Yes			No		
	<u>Resolver</u>			Yes			N	0	
Digital	ID minting		Centralized				Decentralized		
connector	<u>Data storage lo</u>	cation	cation Centralized				Decentralized		
IT architecture:	re: Openness Ievel Standa		rdized Proprietary			Data por	ts	Others	
transport	Data packaging	ł	Data transfer				API		
IT.	<u>Level</u>	Simple			Advanced				
Access control	<u>If advanced</u>		Attribute based			Role based			
IT architecture: Data use	Labelling	8	I	Enforcer	Enforcement		Oth	Others	
IT	<u>Evidence</u>		Blockchain Cre		Verifiable Credentials			Others	
architecture:	<u>Convenience</u>		Walle	t	Dat	ta Ports		Others	







• Platform is built to work with various product identifiers such as GTIN and organisation/location identifiers such as OAR, GLN.

Maturity level and application sectors

The circularity.ID system has been in use with several fashion brands since 2019. The circularity.ID Open Data Standard has been constantly further developed. In 2023 version 4.0 will be launched. Currently, the standard and the circularity.ID system is built for apparel. It could be easily expanded to cover other similar product types. Several textile sorting companies are already equipped with sorting stations to work with the data from a circularity.ID. The sorting stations can be easily expanded to other product passports once they are standardised.





https://circular.fashion/en/ https://circularity.id https://circularity.id/open-data-standard.html



COSMILE-APP, health&media

COSMILE-APP, health&media

The App offers a European-wide solution for information and identification of cosmetic products (e-labelling). The information on cosmetic ingredients is uploaded by the manufacturer which ensures a reliable source. The product identification is flexible - currently handled via GTIN or QR-code. The COSMILE-App is available in 8 languages, further are in progress. It is based on the European-wide ingredient database, the COSMILE-Europe database, published by the European Cosmetics Association Cosmetics Europe. All information on cosmetics, their ingredients and other information are uploaded by manufacturers, Further enlargements are in progress, e.g. on packaging materials. The application is available since 2018, is permanently upgraded and a solution for digital labelling of cosmetic products.

	Mappir	ng with	respect t	o the refe	rence fra	amewo	ork			
	<u>Туре</u>		Ir	istance			Ca	tegor	y	
Product ID	<u>Granularity</u>	N	lodel	Batch			Prod. ord	er	Single item	
	<u>Type</u>	RFID	QR Co	de Di wate	gital ermark	Bluet lat	ooth Del	Bar Code	Other	
Product data	Machine read	able_		Yes				No		
Carrier	data carrier	data carrier								
	<u>Resolver</u>			Yes				No		
Digital	ID minting			Centralized			Decentralized			
connector	Data storage	e location		Centr	Centralized			Decentralized		
IT architecture:	<u>Openness</u> level	Sta	ndardized	l Proj	orietary	C	Data ports	5	Others	
Data transport	<u>Data packagir</u>	<u>ıg</u>		Data transfer				API		
IT	<u>Level</u>			Simple			Advanced			
Access control	If advanced	anced		Attribute based			Role based			
IT architecture: Data use	Labell	ing		Enford	ement			Othe	rs	
т	<u>Evidence</u>		Bloc	kchain	C	Verifial Credent	ble tials	(Others	
architecture:	Convenience		Wa	allet	C	Data Po	orts	(Others	
features	Data protection	on	PI	ETs	And	onymiz	nymization		Others	
	Traceability		Tagg	ging (QR, N	FC, RFID)	Others			





Unique technical aspects

The COSMILE-App is implemented in Flutter, an emerging framework by Google for app development on both iOS and Android. This allows us to serve both mobile ecosystems with a single code base, improving the user experience everywhere. The product data for the app is prepared in the backend, which receives product information from manufacturers. Data transfer from the manufacturer is realized via Atrify or proprietary methods in Excel or CSV format. During this preparation, ingredient information is validated and corrected through a semi-automatic process, providing a valuable service to manufacturers while simultaneously linking further INCI information to products.

The app primarily uses a barcode (or QR) scanner to recognize products. If products are not covered by our product database, the ingredient information on the packaging can be analyzed using Optical Character Recognition (OCR, text-recognition), and matching INCI information from the Europe-wide database can be provided.

Maturity level and application sectors

The website haut.de is a central communication platform for various interest groups about "cosmetics" in Germany since 2005. The INCI database (ingredients in cosmetics) has been available on this website since 2006, is constantly updated and today comprises around 30,000 individual substances. The first INCI app (text input) was available for iOS and Android since 2016, the successor COSMILE app, extended by the barcode scanner, was launched in Germany in October 2018, shortly thereafter also in Austria and Switzerland. This was followed by the bilingual version of the app: April 2021 (English/German) and the addition of the OCR-INCI reader, the expansion to include Polish in November 2022 and Romanian, Hungarian, Spanish, French in February 2023. The app, which is available throughout Europe, is constantly updated in terms of content and technology. The product database currently comprises 60,000 products, and the app has recorded around 70,000 downloads to date.







Cyclance

			CYCLA	NCE						
	Mapping v	vith resp	ect to t	he refer	ence fra	amework				
Product ID	<u>Туре</u>		Insta	nce			Cate	gory		
	<u>Granularity</u>	Mod	el	Bat	ch	Prod.	order	Singl	e item	
	<u>Type</u> RF	ID Q	R Code	Digi water	tal E mark	Bluetooth label	Ba Coc	r le	Other	
Product data carrier	<u>Machine readat</u> data carrier	<u>ole</u>		Yes			No			
	<u>Resolver</u>			Yes			No			
Digital	ID minting			Centrali	ized		Decentralized			
connector	<u>Data storage loc</u>	<u>cation</u>		Centrali	ized		Decer	ntralized	ł	
IT architecture:	<u>Openness</u> <u>level</u>	Openness Ievel Standardi		Propr	ietary	Data p	orts	Others		
transport	Data packaging		C	Data transfer			ΑΡΙ			
IT architecture:	<u>Level</u>		Simple				Advanced			
Access control	<u>If advanced</u>		Attribute based				Role based			
IT architecture: Data use	Labelling		E	Inforcer	nent		Ot	hers:		
IT	<u>Evidence</u>	E	Blockcha	iin	Ve Cre	erifiable dentials		Othe	rs	
architecture:	<u>Convenience</u>		Wallet	:	Dat	ta Ports		Othe	rs	
features	Data protection		PETs		Anon	ymizatior	1	Othe	rs	
	Traceability	Т	agging (QR, NFC	, RFID)		Ot	hers		
		Uniqu	le techn	ical asp	ects					

The EECC DPP's uses GS1 Standards (EPCIS with EECC's EPCIS "EPCAT", Digital Link, Resolver,...)

Maturity level and application sectors

Application Sectors:

Fresh Food, Textile, Plastic Packaging, Electronics Industry, and Battery



. .



- Packaging: DPPs are ready for Packaging at R-Cycle where we won the sustainability award https://packagingeurope.com/news/winners-of-the-sustainability-awards-2022announced/8680.article, we use all relevant plastic producing parameters focusing on Recyclability.
- Battery: DPP demonstrator is ready using producing events for producing battery anodes within a Fraunhofer Initiative, focusing on CO2 and water footprint.
- Textile: DPP will be demonstrable with the consent of C&A with original 100Mio+ events
- Food: DPP adoption out of METROS PIER (ProTrace Inhouse EPCIS Repository powered by EPCAT), running for 7 years.
- Electro/Industry: DPP adoption demonstrator with real data for Schaeffler is ready.





DDCC

Digital Data Chain Consortium (DDCC)

The Digital Data Chain is a technology stack consisting of three solutions: (1) identification of objects based on IEC 61406-x – Identification Link, (2) digital manufacturer information, conform to VDI Guideline 2770 (to become IEC standard in 2023) and (3) information exchange platforms for the provisioning of object data and information along the supply chain and over the whole object lifecycle.

	Марр	ing with	resp	ect to th	ne refer	ence f	rame	ework				
Product ID	<u>Түре</u>			Insta	nce				Cate	gory		
	<u>Granularity</u>	<u>/</u>	Лode	21	Bat	ch		Prod. oi	rder	Sir	igle item	
	<u>Туре</u>	RFID	QF	R Code	Digi water	tal mark	Blue Ia	etooth abel	Baı Cod	e	Other	
carrier	<u>Machine re</u> data carrie	<u>adable</u> <u>r</u>			Yes			No				
	<u>Resolver</u>				Yes				No			
Digital	ID minting			(Centralized				Decentralized			
connector	Data storag	ge locatio	<u>n</u>		Centrali	zed		Decentralized				
IT architecture:	<u>Openness</u> <u>level</u>	Standar		rdized Proprietary			Data po	rts	C	Others		
transport	<u>Data packa</u>	ging		Data transfer					ļ	PI		
IT	<u>Level</u>			Simple				Advanced				
Access control	<u>If advanced</u>	<u>1</u>		Attribute based				Role based				
IT architecture: Data use	Labe	elling		E	nforcer	nent			Ot	hers		
іт	<u>Evidence</u>		E	Blockcha	ain	V Cr	'erifia eder	able ntials		Otl	ners	
architecture: Data <u>mgmt</u>	<u>Convenien</u>	<u>ce</u>		Wallet	t	D	ata P	Ports		Otl	ners	
features	Data prote	<u>ction</u>		PETs		Ano	nymi	ization		Otl	ners	
	Traceability	Ľ	Т	agging (QR, NF	C, RFID)		Ot	hers		
		U	niqu	e techni	ical asp	ects						

(1) The Digital Data Chain offers a full-fledged technology stack with comprehensive solutions for identification, intelligent product documentation (manuals, drawings, spare part lists, certificates) and platform solutions for the provisioning of the documentation and information between



. .

manufacturer, owner/operator and service provider. This solution has been developed by the industry for the industry. Compared to other solutions from the B2C sector, that only cover basic requirements like ID and basic technical attributes, the Digital Data Chain covers all requirements of the producing industries, especially authority or legal/statutory documentation requirements.

(2) To preserve and ensure the competitiveness of European manufacturers the technical solutions used for the DPP must be 100% cost free and open source. Otherwise, the European manufacturer will have to pay more for imported intermediate and preliminary products compared to non-European competitors and therefore loose competitiveness. If payable technologies were chosen for the DPP this would cause significant economic damages for European manufacturers. Compared to other solutions like EPCIS/Oliot the AutoID solution and the intelligent documentation solution of the DDC are 100% cost free. There is no protected IP, hidden costs or paid prerequisites to use the solutions of the DDC.

Maturity level and application sectors

The Digital Data Chain started as B2B solution for production hardware used in the chemical industry. It spread quickly to all sectors that use the same hardware for production such as pharmaceuticals, food & beverage, water & wastewater, infrastructure, oil & gas and power generation. Other industries like aeronautics, automotive and machinery are starting PoCs for implementation. The Digital Data Chain is already implemented by global players like Siemens, BASF, Bayer, etc. but also SMEs. In total the DDC technology stack is implemented or under implementation at 500+ companies worldwide. The estimated worldwide market volume of goods provided with DDC technologies till 2030 is 10+ billion EUR.



- SAMSON Product Video: <u>https://www.youtube.com/watch?v=YVDFUrAzvRY</u>
- LESER Product Video: <u>https://www.youtube.com/watch?v=jZk6XZSJICg</u>
- EMERSON Product Video:

https://videos.emerson.com/detail/video/6232376213001/find-spare-parts-using-qr-codes

- DDC Consortium official website: https://www.digitaldatachain.com
- Press release concerning the collaboration between DDC Consortium and Industrial Digital Twin Association (IDTA) regarding the Digital Twin: <u>https://digitaldatachain.com/portal/news</u>





DDC at the ACHEMA 2022, the world leading fair for production hardware in the chemical and pharmaceutical industry. Exhibition of 20+ DDC conform products on the DDC fair stand from different manufacturers. In total 100+ manufacturers showed their DDC conform products on their company fair stands on the ACHEMA 2022.





DIBICHAIN

DIBICHAIN

DIBICHAIN aims to map material and product life cycles using distributed ledger technology (DLT) to enhance circular economy.

	Mapping	with re	spect to t	he refer	ence fr	ame	work				
Product ID	<u>Туре</u>		Insta	nce				Categ	gory		
i i oddoci ib	<u>Granularity</u>	Mc	odel	Bat	ch	F	Prod. or	der	Sir	ngle item	
	<u>Type</u> R	FID	QR Code	Digi water	tal mark	Blue Ia	etooth Ba abel Co		e	Other	
Product data carrier	<u>Machine reada</u> data carrier	<u>ible</u>		Yes			No				
	<u>Resolver</u>			Yes				No			
Digital	ID minting			Centralized				Decentralized			
connector	<u>Data storage lo</u>	ocation		Centralized			Decentralized				
IT architecture:	<u>Openness</u> level	lardized	Propr	ietary	C	Data po	rts	(Others		
Data transport	Data packaging	g	C	Data transfer				ΑΡΙ			
IT	<u>Level</u>			Simple				Advanced			
Access control	If advanced		At	Attribute based				Role based			
IT architecture: Data use	Labellin	g	E	Enforcement Others							
іт	<u>Evidence</u>		Blockcha	ain	Ve Cre	erifia eden	fiable Others entials			hers	
architecture: Data mgmt	<u>Convenience</u>		Walle	t	Da	ata Po	orts		Ot	hers	
features	Data protectio	<u>n</u>	PETs		Anor	nymi	zation		Ot	hers	
	Traceability		Tagging	(QR, NF	C, RFID))		Ot	hers		
		Uni	que techn	ical asp	ects						

Considers the concerns of companies exposing their full identity on the ledger.

Maturity level and application sectors

Maturity level: prototype level.

Link: <u>https://dibichain.com/</u>





https://www.blockchainresearchlab.org/wp-content/uploads/2020/05/BRL-Working-Paper-No-18-DibiChain.pdf https://github.com/chainstep/dibichain-demo

• •

DigiPrime

DigiPrime

Focuses on enabling cross-sectorial applications of circular products by (1) federated platform architecture (2) circularity-oriented services and (3) value-chain integration services.

	Mapping	with re	spect to t	he refer	ence fra	mework				
Product ID	<u> </u>		Insta	ince			Categ	ory		
i i oddoci ib	<u>Granularity</u>	Mc	odel	Bat	ch	Prod. or	der	Single item		
	<u>Type</u> R	FID	QR Code	Digi wateri	tal B mark	Bluetooth label	Bar Code	Other		
Product data carrier	<u>Machine reada</u> data carrier	<u>ible</u>		Yes			No			
	<u>Resolver</u>			Yes			No			
Digital	ID minting			Centrali	zed		Decentralized			
connector	Data storage lo	ocation		Centrali	zed		Decentralized			
IT architecture:	<u>Openness</u> level	Stand	lardized	Propri	etary	Data por	ts	Others		
transport	Data packagin	g	Γ	Data trar	nsfer		А	PI		
IT.	<u>Level</u>			Simple			Advanced			
Access control	If advanced		At	Attribute based			Role based			
IT architecture: Data use	Labellin	g	E	Enforcen	nent		Oth	ers		
іт	<u>Evidence</u>		Blockch	ain	Vei Crea	rifiable dentials		Others		
architecture: Data mgmt	<u>Convenience</u>		Walle	t	Dat	a Ports		Others		
features	Data protectio	<u>n</u>	PETs		Anony	ymization		Others		
	Traceability		Tagging	(QR, NF	C, RFID)		Oth	iers		
		Uni	que techn	ical asp	ects					

DigiPrime is a decentralized federated platform with general purpose data structures to allow maximum customizability and pluggability of services to allow processing and sharing of data across value-chains. Platform infrastructure acts as a container for business services and circular entities shared across the services that agreed to share the entities. Topics like the product management and the certification of a product are made by services, dedicated to a sector (like battery, automotive, etc.) or cross-sectorial. Some of services implement typical DPP features like





product data provenance, traceability and anti-tampering proofs. Traceability of data inside the platform is implemented by using a blockchain technology and smart contracts. Key strength of the platform is the easy extensibility, allowing many kinds of services made by very different technologies to be installed in the platform and integrated with the platform polymorphic database.

Maturity level and application sectors

The platform infrastructure and the services have been validated in a live environment, by satisfying a set of use cases defined for the DigiPrime platform. Maturity is TRL8 for the infrastructure and the core platform services. DigiPrime Services maturity ranges from TRL5 to TRL9: integration of new services is ongoing, so to extend the existing functionalities to all the sectors. The main sectors of application are Battery, Automotive, Solar Power, Textile, Composites and Techno-Polymers.



https://www.digiprime.eu/







. .

DNV

DNV Digital Product Passport

DPP infrastructure based on proven industrial supply chain data collection solution with integrated data validation

	Mapping with re	espect	to th	e ref	erence	frame	work			
Product ID	<u>Туре</u>		Ir	nstan	ice			Cate	gory	
1 rouder 15	<u>Granularity</u>	Mod	lel		Batch		Prod. o	rder	Sir	gle item
	Type RFID	Q Co	R de	[wa	Digital termarl	Blu k l	etooth abel	Ba Coc	r le	Other
Product data carrier	<u>Machine readable</u> <u>data carrier</u>		Yes			No				
	<u>Resolver</u>			Y	es			No		
Digital	ID minting			Ce	ntralize	ed		Decer	ntrali	zed
connector	Data storage location	Centralized			Decentralized					
IT architecture:	<u>Openness level</u>	Stand	ardiz	ed	Proprie	etary	Data p	orts	C	Others
Data transport	<u>Data packaging</u>			Dat	a transf	fer		/	API	
IT	<u>Level</u>				Simple			Adv	ance	d
Access control	<u>If advanced</u>			Attri	bute ba	ised		Role	base	ed
IT architecture: Data use	Labelling			Enf	orceme	ent		Ot	hers	
іт	<u>Evidence</u>	BI	ockcl	hain		Verif Crede	iable entials		Otl	ners
architecture:	<u>Convenience</u>		Wall	et		Data	Ports		Otl	ners
features	Data protection		PET	S	Þ	Anonyn	nization		Otl	ners
	<u>Traceability</u>	Та	gging	(QR,	, NFC, R	FID)		Ot	hers	
	Uni	que te	chnic	cal as	spects					

The key feature of the DNV product passport is twofold:

• First, DNV's decades of experience in the certification and assurance domain allows to define the data stack for the establishment of a green claim to be fully in line with specifications of scheme owners or regulators. This knowledge is crucial at the outset of



the establishment of a DPP program to make it coherent and compliant. Part of this is also, a definition of where and how to source data from either existing legacy systems or to ingest data manually or semi-automatically with a robust verification mechanism to avoid accidental or intentional data tampering/misrepresentation.

 Second is the use of proven traceability, serialisation technology that enables all key features as foreseen by the EU DPP (e.g. proof of provenance, unique/batch/product line identification, full track and trace, attachment of additional datasets to product/batch/etc. – such as social/environmental audit data etc.

Maturity level and application sectors

The DNV DPP is based on industrially proven serialisation and traceability technology, currently in use in several large-scale deployments across various industries (e.g. food, apparel/textiles, industrial products)

DNV's knowledge and expertise for claim and process verification and assurance spans decades and 100k plus customers



EasyBat

EasyBat

To date, lifecycle asset management for batteries has been cumbersome at best. Before EasyBat, tracking battery assets was essentially non-existent. Currently, in Belgium, the registration of customer-owned assets, such as a home battery, requires a lot of information and burdensome paperwork collection.

EasyBat aims to greatly simplify that process. The solution focuses on the entire battery lifecycle by creating a digital passport which third-parties such as the manufacturer, installer, and/or DSO can verify. Such a DER Passport provides a shared state of the asset and its history to any preapproved energy market participants. Original equipment manufacturers (OEMs), distributors, installers, and accredited inspection and certification organisations issue and verify every relevant asset transaction throughout a battery's lifecycle.

EasyBat heavily leverages the open-source EW-DOS technology stack, including EW Switchboard, a new interface for managing decentralised, self-sovereign identities, as well as their associated assets, roles, and permissions.

	Mapping	g with res	spect to t	he refer	ence fra	ame	work			
Product ID	<u>Туре</u>		Insta	ince				Categ	gory	
Troducerb	<u>Granularity</u>	Mo	del	Bat	ch	P	Prod. order		Sir	ngle item
	<u>Туре</u>	RFID	QR Code	Digi water	tal mark	Bluet Iat	tooth oel	Bar Cod	e	Other
Product data carrier	Machine read	lable		Yes				٦	No	
	<u>data carrier</u>						No			
	<u>Resolver</u>			Yes			No			
Digital	ID minting	ID minting		Centrali	zed			Decen	trali	zed
connector	Data storage location			Centrali	zed			Decen	trali	zed
IT architecture:	<u>Openness</u> <u>level</u>	Standa	ardized	Propr	ietary	D)ata po	rts	(Others
transport	<u>Data packagir</u>	lg	C	Data trai	nsfer			A	PI	
IT	<u>Level</u>			Simpl	е			Adva	ance	d
Access control	<u>If advanced</u>		At	Attribute based			Role based			
IT architecture: Data use	Labelli	ng	E	Enforcer	nent			Ot	hers	
IT architecture:	<u>Evidence</u>		Blockcha	ain	Ve Cre	erifial edent	ble tials		Ot	hers



Data mgmt	<u>Convenience</u>	Wallet	Data Por	ts Others	
features	Data protection	PETs	Anonymiza	tion Others	
	<u>Traceability</u>	Tagging (QR, NF	C, RFID)	Others	
	ι	Jnique technical asp	ects		

EasyBat project is an asset lifecycle management project leveraging the use of Decentralised Identifiers (https://www.w3.org/TR/did-core/). Under this project, each battery has a unique DID and several stages in the life of a battery are recorded in the battery's DID serving as a digital passport.

Organisations themselves also have a role; these include:

- Governing Body: this could be a single or group of organisations. e.g. bebat. A single or group of organisation will have a Decentralized Identifier (DID).
- Asset: it is an eligible asset mentioned by governing body. e.g. battery, inverter, PV, EVSE, car. Each asset has a Decentralized Identifier.
- OEM: this could be an asset manufacturing company, producing finished products like Batteries. Each OEM will have a Decentralized Identifier(DID).
- Asset Installer: it is a certified professional or an organisation allowed to install assets (only qualified).
- Asset Verifier: a designated individual from an organisation to verify correctness of asset installation.
- Asset Owner/User: an individual or organisation owning or leasing the asset.

DLT technology is also used. More specifically, ERC 1056 and ERC 1155 standards have been utilized for this project.

- ERC 1056 can convert any externally owned Ethereum account to DID and support management of delegation and serviceEndPoints. It considers all valid Ethereum addresses as valid DID. A DID can have manages its own delegation and attributes. The implementation of ERC 1056 allows to maintain a registry of DIDs.
- ERC 1155 is a multi-standard token standard that include any combination of fungible, non-fungible tokens, or other configurations. The ERC 1155 approach can be extended to use a single ERC 1056 instance to create and manage proxy identities. This allows to:
 - update the owner of a DID without changing the DID uniform resource name (URN)
 - add/update metadata URI to the Proxy Identity (without the need of using serviceEndpoints)
 - o add/remove recovery agents
 - add/remove delegates

Attributes per battery recorded in the digital passport include:

- Manufacturer: manufacturer of the battery [string]
- Model: model of the battery [string]
- Capacity: capacity of battery in kWh [float]
- Serial Number: serial number of the battery [string]
- Chemical Type: chemical type of the battery [string]





• Weight: weight of the battery in kg [float]

QR Code specification:

• Universally Unique Identifier (UUID) generated 128 bit QR code.

Maturity level and application sectors

The EasyBat project is a Minimum Viable Product (MVP) that only focuses on the battery sector. A first beta release has been successfully tested and upcoming iterations are planned (still work in progress).

EasyBat DID flow:

EasyBat Flow			
<u>@</u> —			Verificatio n
DID Document Manufacturer Claim	DID Document Manufacturer Claim 🕞 Asset Owner Claim 🔒	DID Document Manufacturer Claim 🔶 Asset Owner Claim 🔶 Installer Claim 🔶	DID Document Manufacturer Claim Asset Owner Claim Installer Claim Verifier Claim Claim Control Claim Control Clai



C DASHBOARD YOUR ASSETS	C DASHBOARD YOUR ASSETS	
Battery King Kersenstraat 12, 8490 Varsenare	Battery King Kersenstraat 12, 8490 Varsenare	
Register your home battery	ACTIVE ACTIVE ASSET 1 Tess APPRE20 ASSET 2 Tess APPRE2000	ASSET 1 Activate your home battery (onboard) BEENT ID DFDJ 323.433 Location EAN 3783478487389374 324
	PEHADKG PEHADKG Testo APP4029	






Useful links:

https://easybat-dev.energyweb.org/

https://github.com/energywebfoundation

https://medium.com/energy-web-insights/bebat-launches-easybat-an-open-source-

decentralized-solution-for-battery-lifecycle-management-281f2ace61e9

https://pers.fluvius.be/bebat-en-fluvius-lanceren-easybat-om-levensloop-batterijen-beter-op-te-volgen-via-blockchain.



.

EON

EON

EON is retail's leading product digitisation platform. We connect physical products with a Digital ID to make them more traceable, interactive, and valuable.

Mapping with respect to the reference framework										
Product ID	Туре		Inst	ance				Cate	gory	
i i oddoci ib	<u>Granularity</u>	М	odel	Bat	ch		Prod. o	rder	Si	ngle item
	<u>Type</u> F	RFID	QR Code	Digi water	ital mark	Blue	etooth abel	Ba Cod	r le	Other
Product data carrier	<u>Machine reada</u> data carrier	able		Yes				I	No	
	<u>Resolver</u>			Yes					No	
Digital	ID minting			Central	ized			Decer	ntrali	zed
connector	Data storage l	ocation	<u>-</u>	Central	ized			Decer	ntrali	zed
IT architecture:	<u>Openness</u> level	dardized	Propr	ietary		Data po	orts	(Others	
transport	<u>Data packagin</u>	g		Data tra	nsfer			ļ	API	
IT	<u>Level</u>			Simp	le			Adv	ance	d
Access control	<u>If advanced</u>		Attribute based				Role based			
IT architecture: Data use	Labelin	g		Enforcer	nent			Ot	hers	
ІТ	<u>Evidence</u>		Blockch	nain	۱ C	/erifi redei	able ntials		Ot	hers
architecture: Data mgmt	<u>Convenience</u>		Walle	et	C	ata f	Ports		Ot	hers
features	Data protectio	<u>n</u>	PET	S	And	onym	ization		Ot	hers
	Traceability		Tagging	(QR, NF	C, RFID))	Others			
	Unique technical aspects									

The Product Cloud is an extensible data-centric application that allows brands to frictionlessly ingest product and event data from disparate sources, transform, harmonise, and resolve the data to support interoperability. This data management and orchestration layer allows brands to track, report and analyse on all aspects of a products lifecycle. EON's Data Ingestion/Pipeline tool offers a low-code/no-code intuitive self-service UI and underlying services to orchestrate data



movement along with offering data mapping, transformations and processing reporting. Specifically designed to handle complexity automatically.

- Supports ingesting data from diverse and multiple sources.
- Supports all major data stores and file formats.
- Supports industry data standards just as EPCIS, Circular Data Protocol, etc along with brand defined data standards.
- Quickly analyse product data to determine compliance state based on brand defined policy scopes.
- Data governance, performance, scalability, and security built in.

Digital Link Resolver - Programmatic redirects with a robust rules engine. Certificate of Ownership - AI based rules engine along with optical character recognition and blockchain agnostic. Multilayered brand protection approach which combines overt, covert, and digital authentication techniques. Exploration, Intelligence & Insights Lab. Traceability Manager. Customer Experience Studio. EON Exchange.

Maturity level and application sectors

EON powers product digitisation (Digital ID) for the largest global brands and retailers — with partners and clients like H&M, Chloe, Target, Mulberry, Kathmandu, Giorgio Armani, Brunello Cucinelli, Coach, Victoria Secrets and many more. We are an enterprise ready SaaS platform, with experience deploying Digital Product Passports across complex global organisations, and in many geographies. Our platform specialises in data sharing and data exchange between brands and resale and recycle partners, with some of the largest players in the world like Vestiaire Collective and Waste Management connecting in through the EON product digitisation platform. References:

- Forbes: This Technology Will Have a Profound Effect on the Fashion Industry
- Vogue Business: Digital IDs <u>a game changer for fashion</u>
- Vogue Business: Chloe moves ahead on commitment to give all products Digital ID
- EU Commission invites EON <u>learning from frontrunners</u>, <u>Digital Product Passports</u>
- EON pioneers Circular Data Protocol with H&M, GS1, EU and more <u>foundation for</u> <u>Digital Product Passport legislation</u>
- Business of Fashion: <u>What Digital IDs can do for Fashion with Natasha Franck x Natalie</u> <u>Massenet</u>
- Forbes: <u>Could fashion's digital tag, EON, help fashion become circular?</u>
- Forbes: <u>Carbon Labels</u>, <u>Digital Passports And Traceability Tags Clothing Labels' New</u> <u>Normal</u>



EPEAT Ecolabel

EPEAT Ecolabel

EPEAT is a global Type 1 Ecolabel for electronic products, including ICT products and photovoltaic modules. It is used by purchasers world-wide to identify sustainable electronic products. EPEAT consists of 3 elements:

- Lifecycle-based performance criteria for the product, supply chain and company in 4 areas

 carbon/greenhouse gas reduction, circularity, chemicals of concern and corporate supply chain due diligence (social) performance;
- 2) 3rd party conformance assurance system; and
- 3) Public, searchable product registry (www.epeat.net) that identifies products awarded the EPEAT ecolabel.

Mapping with respect to the reference framework											
Product ID	<u>Type</u>			Instand	ce			Cat	egory		
FIGUACTIO	<u>Granularit</u>	Y	Model		Batch		Proc	l. order	Sir	gle item	
	<u>Туре</u>	RFI	D	QR Code	Digit waterr	al nark	Blueto labe	oth I	Bar Code	Other	
Product data carrier	<u>Machine r</u> data carrie	eadable er	2		Yes				No		
	<u>Resolver</u>				Yes				No		
Digital	ID minting	I			Centra	lized		D€	ecentral	ized	
connector	Data stora	ge loca	<u>tion</u>		Centra	lized		D€	ecentral	ized	
IT architecture:	<u>Openness</u> <u>level</u>	S	tandardi	zed	Proprie	tary	Dat	a ports		Others	
transport	Data packa	aging			Data tra	ansfer			API		
IT	<u>Level</u>				Simple				Advanc	ed	
Access control	<u>If advance</u>	d		ŀ	Attribute	e basec	ł	Role based			
IT architecture: Data use	La	ibelling			Enforce	ement		Others			
ІТ	<u>Evidence</u>		Blo	ockchain		۷ Cr	/erifiablo edentia	e Is	0	thers	
architecture: Data mgmt	Convenier	<u>ice</u>	٧	Nallet		D	ata Port	s	0	thers	
features	Data prote	ection		PETs		Ano	onymizat	zation Others			
	<u>Traceabilit</u>	ty	1	Tagging	(QR, NFO	C, RFID)		Other	Others	





Maturity level and application sectors

Electronics sector; applicable to finished products including computers, displays, imaging equipment, mobile phones, televisions, servers, network equipment & photovoltaic modules. EPEAT (<u>www.epeat.net</u>) was launched in 2006. Currently (Nov 2022), over 60 global and regional electronics brands participate and over 4000 unique products carry the EPEAT ecolabel. EPEAT has minimum criteria that must be met to be awarded EPEAT (bronze), products attain higher levels of recognition for meeting more aspirational, optional criteria (silver and gold).

The EPEAT platform has a "back end" that is accessible by password only. Manufacturers enter data for performance criteria. Independent Conformance Assurance Bodies (CABs) and EPEAT Program verify data entry and review evidence submitted by manufacturers. The public-facing registry allows users to identify products (by model) that meet EPEAT and download data in Excel format. EPEAT also provides API data feeds using unique product identifiers.

EPEAT provides a public searchable Registry at <u>www.epeat.net</u>. Products are organized by category as shown on left.



Registry can be searched by product name, type, manufacturer, country of use, and EPEAT Tier.

		HOME ABOUT EPEAT ANNOUNCEME	NTS BENEFITS CALCULAT	FOR CONTACT U	s	LOGIN
SELECT A PRO CATEGORY TO STAF	DUCT RT SEARCH					
COMPUTERS & DISPLAYS	<u>ب</u>	Search Computers & Dis	plays Total 22371	Results		
IMAGING EQUIPMENT	11 L	Product Name	Product Type	•	Manufacturer	*
MOBILE PHONES	[.]]	Location of Use -	EPEAT Tier	•	Status	*
NETWORK EQUIPMENT	P	Advanced Filter Options	View EPEAT option	al criteria		~
PHOTOVOLTAIC MODULES AND INVERTERS	*	1	SEARCH	CLEAR]	





C epeat.net/search-computers-and-displays		G	0 1	¢.
EC 🧧 NSF 📑 EU 🛄 Medical Imaging 📑 Executor 📑 EPA 📒 Europe 🚦	🖪 Data traceability 🗧 Criteria Development 🚺 Sell Jewelry Massac			
SERVERS	Select EPEAT optio	nal criteria to filter by:		
	(4.1.2.1) Restrictions of the use of cadmium	(4.1.4.1) Restriction of the use of beryllium		
	(4.1.5.2) Further reduction of bromine and chlorine content of plastic materials	(4.1.6.1) Avoidance or elimination of substances on EU REACH Annex XIV (authorization list)		
	(4.1.6.2) Reduction of substances on the EU REACH Candidate List of SVHCs	(4.1.8.1) Chemical assessment and selection		
	(4.1.9.1) IEC 62474 declarable substances	(4.1.9.2) Requesting substance inventory		
	(4.1.9.3) Acquiring substance inventory	(4.1.10.1) Reduce fluorinated gas emissions from flat panel display manufacturing		
	(4.1.10.2) Reduce fluorinated greenhouse emissions from semiconductor production	(4.2.1.2) Higher post-consumer recycled, ITE-derived post-consu	led	
	(4.2.1.3) Post-consumer recycled, ITE-derived post-consumer recycled plastic	(4.4.1.2) Long life rechargeable battery		
	(4.4.2.2) Publicly available service information	(4.4.2.5) Product upgradeability and repairability		
	(4.4.2.6) Removal of lithium ion batteries	(4.5.1.3) Energy efficiency for internal power supplies		
	(4.5.1.4) Energy efficiency for external power supplies exceeding International External Power Supply Efficiency Level VI	(4.5.1.5) Product energy consumption less than the ENERGY STAR Maxim Energy Limit	im	
	(4.7.3.2) Packaging composed of recycled, and/or biobased, and/or sustainably forested content	(4.7.4.1) Offering of a bulk packaging option		
	(4.8.1.1) Product life cycle assessment and public disclosure of analyses	(4.8.1.2) Product specific greenhouse gas emissions-product carbon footp	rint	
	(4.8.2.1) Corporate carbon footprint	(4.8.2.2) Greenhouse gas emissions from product transport		
	(4.9.1.2) Third party certified environmental management system (EMS) for supplier manufacturing facilities	(4.9.2.2) Corporate environmental performance reporting by suppliers		
	(4.9.3.1) Energy management system/energy performance improvement -	(4.9.3.2) Energy management system/energy performance improvement for	ır	

. . .



eReuseDPP

eReuseDPP/Usody										
A DPP architect	ure and pilot for th	e circular m	nanagem	nent of	ICT devic	es in use	2.			
	Mapping	with respe	ct to the	e refere	ence fram	lework				
Product ID	<u>Type</u>		Instand	ce			Cat	egory		
	<u>Granularity</u>	Model		Bate	ch	Prod	. order	Sin	gle item	
	<u>Type</u>	RFID	QR Code	Dig wate	gital rmark	Bluetooi label	th C	Bar Code	Other	
Product data carrier	<u>Machine readabl</u> data carrier	<u>e</u>		Yes				No		
	<u>Resolver</u>			Yes				No		
Digital	ID minting			Centr	alized		Deo	centrali	zed	
connector	Data storage loca	ation		Centr	alized		Deo	centrali	zed	
IT avabitaatuura	<u>Openness level</u>	Standard	lized	Propr	rietary	Data	a ports	(Others	
Data transport	Data packaging			Data t	ransfer			API		
IT	<u>Level</u>		Simple				Advanced			
Access control	<u>If advanced</u>		Attribute based				Role based			
IT architecture: Data use	Labellin	g		Enford	cement			Others		
іт	<u>Evidence</u>	BI	ockchair	ı	Ve Cre	erifiable edentials		Ot	hers	
architecture: Data mgmt	<u>Convenience</u>		Wallet		Da	ta Ports		Ot	hers	
features	Data protection		PETs		Anon	iymizatio	on	Ot	hers	
	Traceability	Та	agging ((QR, NFO	C, RFID)		Others			
		Unique	technic	al aspe	cts					

The eReuseDPP system manages an inventory of digital device product details combined with a ledger of device lifecycle events. The ledger is recorded in a verifiable registry, equivalent to the function of a notary public, that offers transparency and accountability about the detailed data. The verifiable registry relies on an append-only distributed ledger, which can apply agreed on rules about procedures when a condition is met (smart contracts, inexorability). We have integrated it into DeviceHub, an open-source device inventory system that acts as a client and intermediary on behalf of human device owners that can record supporting digital details and content and generate and



. .



deliver digital product passports (JSON and HTML formats currently). The product and part details are retrieved using an open-source hardware inspection software that creates secure documents (snapshots).

Verifiable proofs and decentralised identifiers follow the W3C DID model. The verifiable registry is DLT agnostic and mapped into two backends: a permissioned Ethereum, and IOTA DLT.

Maturity level and application sectors

TRL 7 - System prototype demonstration in operational environment. The prototype manages about 20 thousand ICT devices and generates simple DPPs for these products as they change hardware configuration during lifespan due to repair, refurbishment, usage, while recording proofs in a verifiable registry linking changes to documents (snapshots), timestamps and summaries.

This is the linfo for Digital Passport: 3308/f433243re05/2b4728d8c67db0c35658c8f6759er/ Hardware • Device • Chassis: Microtower • Manufacturer: Dell • Model: Trubio 3293-6 • SerialNumber: 3293-6 • Sku: • Type: Desktop • Version • Components • Components • Components • Components • Components • Citype: RamModule; 'model': '3293-6', 'manufac • ('type: 'RamModule;'' 3293-6', 'manufac • ('type: 'RamModule;'' 3293-6', 'manufac • ('type: 'RamModule;'' 3293-6', 'manufac • ('type: 'RamModule;''' 3293-6', 'manufac • ('type: 'RamModule;''' 3293-6', 'manufac • ('type: 'RamModule;''''' • Components •	H152a85afedc9ad6c t-3293-6', 'manufact t: 'ATA'] turer': '3293-6', 'seri acturer': '3293-6', 'se	:80958188c43992 urer': 'Western Dig iNumber': '3293-6 iaiNumber': '3293- iaiNumber': '3293-4 iaiNumber': '3293-4 + iter usgab	2998f0d9f66e421cf0a473936c6e5756bae1e8de5556f gital,'serialNumber': 6/ 3-6,'size':4096) 3-6,'size':4096) 3-6,'size':4096) 0
Hardware Person	t-3293-6', 'manufact ': 'ATA'] Lurer: '3293-6', 'seri acturer': '3293-6', 'se acturer': '3293-6', 'se	urer': 'Western Dig INumber': '3293-6' INumber': '3293 rialNumber': '3293 + Itee usab 4	gital", "serialNumber": 6°] 3-6°, "size": 4096) 3-6°, "size": 4096) □traventory ● Tags ▲ Stamp ● serifett arr 0 Traccalitity log Immergine × On 500
Device Chassis: Microtower Chassis: Microtower Manufacturer: Dell Manufacturer: Dell Model: Trubio 3293-6 Ska: Type: Desktop Ska: Type: Desktop Version: Components (Type: "Processor," model: "X293-6," manufa (Type: "Processor," model: "X293-6," manufa (Type: "Processor," model: "X293-6," manufa (Type: "RamModule," model: "X293-6," manufa (Type: "RamMo	t-3293-6', 'manufact ': 'XTX) turer': '2293-6', 'seri cuturer': '3293-6', 'se acturer': '3293-6', 'se	urer': 'Western Dig INumber': '3293-6 ialNumber': '3293 rialNumber': '3293 + Iter unsch	gital", "serialNumber": 6°] 3-6°, "size": 4096) 3-6°, "size": 4096) □meetroy ●Tap ▲ Stamp ● serifiéri arr 0 Traccalitativag Imme price × Ok 500
	t-3293-6', 'manufact ': VTA'] turer': '3293-6', 'seri acturer': '3293-6', 'se acturer': '3293-6', 'se	urer': 'Western Dig INumber': '3293-6 irialNumber': '3293 irialNumber': '3293 + Iter useb	gital", 'serialNumber': 6'] 3-6', 'size': 4096) 3-6', 'size': 4096) 3-6', 'size': 4096) 3-6', 'size': 4096) 1000 to the second
Classis, Michael Control (1997) Classis, Michael Control (199	t-3293-6', 'manufact : 'XTX'] turer': '3293-6', 'seri cuturer': '3293-6', 'se acturer': '3293-6', 'se	urer': 'Western Dig iNumber': '3293-6 ialNumber': '3293 ialNumber': '3293 + Iter toget	gital, 'serialNumber': 6'] 3-6, 'size': 4096] 3-6, 'size': 4096] □ Investory ● Tap ▲ Stamp ④ sert@df and ① Investory Page ▲ Stamp ④ sert@df 1000
	t-3293-6', 'manufact ': 'ATA'] turer: '2293-6', 'seri acturer: '3293-6', 'se acturer: '3293-6', 'se	urer': 'Western Dig INumber': '3293-6' rialNumber': '3293 rialNumber': '3293 + Revinach	gital, 'serialNumber': 6/] 3-6', 'size': 4096) 3-6', 'size': 4096) 3-6', 'size': 4096) 3-6', 'size': 4096) 10000000 € 1000000000000000000000000000
Serial Number: 3293-6 Ski: Type: Desktop Ski: (Type: Desktop Version: (Type: ParaDrive', 'model': 'Wdc Wd1600ber (3293-6', 'variant: '1A01', 'size': 160, 'interface ('type': RamModule,' model': '3293-6', 'manuf ('type': RamModule,' model': '3293-6'	t-3293-6', 'manufact ', 'MTA'] turer': '3293-6', 'seri -turer': '3293-6', 'se acturer': '3293-6', 'se	urer': 'Western Dig INumber': '3293-6 rialNumber': '3293 rialNumber': '3293 + Itee tooch	gital", 'serialNumber': 6'] 3-6, 'size': 4096) 3-6, 'size': 4096) 3-6, 'size': 4096) 3-6, 'size': 4096) 1000 to 100 to 1
	t-3293-6', 'manufact ': XTA'] turer: '3293-6', 'seri acturer': '3293-6', 'se acturer': '3293-6', 'se	urer': 'Western Dig INumber': '3293-6' rialNumber': '3293 rialNumber': '3293 + New mash	gital", 'serialNumber': 6'] 3-6', 'size': 4096] 3-6', 'size': 4096] □meetery ●Tap ▲ Stamp ④ sert@dit arr 0 Transmittery Yesp 100 100 100 100 100 100 100 10
Pype: Desktop Version: Version: Components (Type: 'HardDrive', 'model': 'Wdc Wd1600be', '3293-6', 'manufa ('type': 'RamModule', 'model': '3293-6', 'manufa ('type': RamModule', 'model': '3293-6', 'manufa ('type': RamModule', 'model': '3293-6', 'manufa ('type': RamModule,' model': '140-0', 'manufa ('type': RamModule,''type': RamModule,'', 'manufa ('type': RamModule,''type': RamModule,'', 'manufa ('type': RamModule,''type': RamModule,''type': RamModule,''type': RamModule,''type': RamModule,''type': RamModule,''type': R	t-3293-6', 'manufact ', 'XTA') urter': '3293-6', 'seri acturer': '3293-6', 'se acturer': '3293-6', 'se	urer': 'Western Dig INumber': '3293-6 ialNumber': '3293 rialNumber': '3293 + Iter mash	gital, 'serialNumber': 6/] 3-6', 'size': 4096) 3-6', 'size': 4096) 3-6', 'size': 4096) 3-6', 'size': 4096) 10000000 € 1000000000000000000000000000
Version: Components (Type: HardDrive, 'model': 'Wdc Wd1600be: '3293-6', 'variant: '1A01', 'size':160', interface '1'ype': Processor', 'model': '3293-6', 'manuf (type': RamModule, 'model': '3293-6', 'manuf (type': RamModule, 'model': '3293-6', 'manuf (type: RamModule, 'model': '1293-6', 'manuf (type: RamModule, 'model': '1293-6', 'manuf (type: RamModule, 'model': '1293-6'	t-3293-6', 'manufact ': XTX) turer: '3293-6', 'seri acturer': '3293-6', 'se acturer': '3293-6', 'se	INumber': '3293-6' rialNumber': '3293- rialNumber': '3293 + New unceh	gital', 'serialNumber': 6'] 3-6, 'size': 4096) 3-6, 'size': 4096) 3-6, 'size': 4096) 0 Interference voltante to the serie of the series of
Components C	t-3293-6', 'manufact ': 'ATA') turer': '3293-6', 'seri acturer': '3293-6', 'se acturer': '3293-6', 'se	urer': 'Western Dig INumber': '3293-6' rialNumber': '3293- ialNumber': '3293- + New snapsh	gital', 'serialNumber': 61 3-6', 'size', 4096) 3-6', 'size', 4096) □mentery ● Tap ▲ Stamp ● serifiéth arr 0 1000 proceeding long 1000 proceeding
	t-3293-6', 'manufact '; 'ATA'] turer': '3293-6', 'seri turer': '3293-6', 'se acturer': '3293-6', 'se	urer': 'Western Dig INumber': '3293-6' rialNumber': '3293- rialNumber': '3293- + New snapsh	gital", 'serialNumber': 6/] 3-6', 'size': 4096) 3-6', 'size': 4096) 3-6', 'size': 4096) 3-6', 'size': 4096) 10000000 € 1000000000000000000000000000
SOC SOC Comparison of the set of a	(; 'ATA') turer': '3293-6', 'seri acturer': '3293-6', 'se acturer': '3293-6', 'se	INumber': '3293-6' rialNumber': '3293- rialNumber': '3293- + New snapsh	6/] 3-6/, 'size': 4096) 3-6/, 'size': 4096) and
	turer': '3293-6', 'seri acturer': '3293-6', 'se acturer': '3293-6', 'se	INumber': '3293-6' rialNumber': '3293- ialNumber': '3293- + New maph	6'] 3-6', 'size', 4096) □inventery ● tap ▲ toam ⊖ user@eh her 1 1 1 1 1 1 1 1 1 1 1 1 1
	acturer': '3293-6', 'se acturer': '3293-6', 'se	rialNumber': '3293- rialNumber': '3293- + Newsnapsh	3-6', 'size', 4096) 3-6', 'size', 4096) add
	acturer': '3293-6', 'se	+ New snapsh	□inventery Taps 4 stamp ⊕ samtlift and O Transactitity long 100 100 Inventer price × 00 000 1000
SUC S All devices Mine anoti, stati unitaria. Sign devices Sign devices Sign devices Sorrary lock All devices Mine anoti, stati unitaria. Sorrary lock Dissip Dil Toble 220-3 Dissip Dil To		+ New snapsh	Dinventory ⊕Tap ▲Sarre ⊕sort@dn hold G Tosceability log Transe price < Ok 5000 transe price < Ok 5000
SUC S Ceture to Associate Section S		+ New snapsh	Inventory Taps ± Stamp Or user () dh
All devices All devic		+ New snapsh	Abert G Traceability log G Traceability log Fruuse price: 2 Ok 5/3/7
All Clevices Enter to many Enter to		+ New snapsh	C Ereuse price: + 0k 5/3/2
Entry to standa Write a model, stand number sign devices Table 2 sign devices Table 2 oring lots Desktop bit Table 2203 5 oring lots Desktop bit Table 2203 4 without provide the standard oring lots Desktop bit Table 2203 3 without provide the standard oring lots Desktop bit Table 2203 3 Desktop bit Table 2203 1 Desktop bit Table 2203 3 Desktop bit Table 2203 3 Desktop bit Table 2203 3 Desktop bit Table 2203 3 Desktop bit Table 2203 3 Desktop bit Table 2203 4 Desktop bit Table 2203 3 Desktop bit Table 2203 1 Desktop bit Table 2203 4 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203 1 Desktop bit Table 2203		4	Q Ereuse price: × 0k 5/3/2
stign divides			10
ring lots. ring lots. ring			1/6 5/3/2
ring (diss Table 9 oling (diss 1 Deskapp 041 Thodes 2023 4 Deskapp 041 Thodes 2023 4 Deskapp 041 Thodes 2023 4 Deskapp 041 Thodes 2023 3 Deskapp 041 Thodes 2023 3 Deskapp 041 Thodes 2023 3 Deskapp 041 Thodes 2023 3 Deskapp 041 Thodes 2023 4 Deskapp 041 T		Deselect all devices	snapshot: V Ok Workbench 11.0a1 5/3/2
oing lots.	DHID © Tags ©	10 Status 0 Updat	Benchmark processor: > Ok 5/3/2
Desiting full Thirds 2023 - 3 control Julios	27DN3 27DN3	5/1/22	22 Ereuse price: -/ Ok 5/3/2
Beaking Diel Triede 2013 - 4 Desking Diel Triede 2013 - 3 Desking Dier Triede 2013 - 3 Desking Aver 2323 - 14 Desking Aver 2323 - 24 Desking Aver 2323 - 24 Desking Diel Official Lander-2829	30N62 30N62	5/3/22	22 1/8 5/3/2
Destrap (bit) (bit) (bit) (bit) Destrap (bit) (bit) (bit) (bit) Destrap (bit) (bit) (bit) (bit) (bit)	46872 46872	5/3/22	22 Snapshot: 2 Ok Workbench 11.0a1 5/3/2
Consumption 22321 Consumption 22322 Consumption Consu	45932 45932	5/3/22	22 Benchmark processor: 2 Ok 5/3/2
Unstangenet zassz Unstangenet zassz Unstangenet zassz Unstangenet zassz Unstangenet zassz Unstangenet Lennon 27612.22 Drakstop Lennon 27612.22 Drakstop Lennon 27612.22 Drakstop Lennon 27612.22 Drakstop Lennon 27612.22	20022 20022	5/3/22	122 lest data storage - 2 OK: Completed without error 5/3/2
Lutrios Letros 144,200 Lutrios Letros 104,202 Destatos Letros 104,422,00 Destatos Detilitos. Ostajon 710 Destatos Letros 206,402,00 Destatos Letros 206,402,00	36823 36823	5/3/22	Descrimark data storage: + UK S(3)
Desktop Lenvoo 1004x3gg00 Desktop Deilin: Optigier 790 Desktop Lenvoo 1004x02/5sp	4KWL4 4KWL4	3/3/22	crase which if UK - Shred Non-Standard 5(3/2
Desktop Deil Inc. Optiplex 790 Desktop Lenovo 10bba02dsp	29322 29322	2/16/2	/22
Desktop Lenovo 10bba02dsp	2.1784 2.1784	2/16/2	72
	4KGK3 4KGK3	1 2/16/2	/22.
Desktop Lenovo 10bba02dsp	48ZR2 48ZR2	1/18/2	/22
Laptop Lenovo 2325ic7	2DAP2 2DAP2	1/18/2	72
Desktop Lenovo 10bba02dsp	30602 30602	1/18/2	/22
Desktop Dell Inc. Optiplex 760			
Desktop Lenova 10bba02dsp	4KMK3 4KMK3	1/17/2	/22
Desktop Lenovo 10bbs0hi00	4KMK3 4KMK3 4ZQL4 4ZQL4	1/17/2	712 712
📓 Desktop Lenovo 10bba0hksp	4KMK3 4KMK3 4ZQL4 4ZQL4 4K7K2 4K7K2	1/17/2 1/17/2 1/17/2	72 72 72
Desktop Dell Inc. Optiplex 790	4KMK3 4KMK3 4ZQL4 4ZQL4 4KTK2 4KTK2 4ZQL2 4ZQL2	1/17/2 1/17/2 1/17/2 1/17/2	m m m m





FEDeRATED

CEF FEDeRATED Action (FEDeRATED)

FEDeRATED was an EU CEF project for digital co-operation in logistics which consists of 15 partners located in 6 EU Member States (Luxemburg, Italy, Finland, Netherlands, Spain, Sweden). However, the project is open to observer organizations that would like to contribute and join efforts to realize sustainable data sharing. The German Ministry of Transport and Digital infrastructure participates as an observer in the FEDeRATED projects. Within the context of testing data sharing opportunities on their feasibility business and public authorities are invited to participate in a multitude of national and cross-bordering pilots and living labs.

- Demonstrate how the federative platform as proposed by the EU Digital Transport and Logistics Forum (DTLF) can work.
- Identify the conditions (barriers and opportunities/benefits) that allow different stakeholders to make use of federated data sharing platforms.
- Facilitate seamless and cross bordering multimodal freight transport, cross bordering harmonized data interoperability, and data sharing between relevant actors.
- Enable paperless transport in all transport modes via concrete actions and large-scale collaboration.
- Support eGovernment, including a one-stop shop and only once reporting functionalities, and a corridor management information system approach.
- Develop a reference architecture for a sustainable data sharing environment.

Find more information at: http://www.federatedplatforms.eu/

	Mapping	with res	pect to t	he reference f	rame	work			
Product ID	<u>Type</u>		Insta	ince			Cate	gory	
	<u>Granularity</u>	Moo	del	Batch		Prod. o	rder	Single item	
	<u>Type</u> R	FID (QR Code	Digital watermark	Blue Ia	etooth Ibel	Baı Cod	e	Other
Product data carrier	<u>Machine reada</u> data carrier		Yes			1	No		
	<u>Resolver</u>		Yes			1	No		
Digital	ID minting		Centralized			Decen	itrali	zed	
connector	<u>Data storage lo</u>	ocation		Centralized			Decentralize		
IT architecture:	<u>Openness</u> level	Standa	ordized	Proprietary	l	Data ports O			Others
transport	Data packagin	B	ĺ	Data transfer		API			
IT	<u>Level</u>			Simple			Adv	ance	d
Access control	If advanced		At	ttribute based	ed Role based				ed





IT architecture: Data use	Labelling	Enforcer	nent		Others		
IT	<u>Evidence</u>	Blockchain	Verifia Creden	ble tials	Others		
architecture: Data mgmt	<u>Convenience</u>	Wallet	Data P	orts	Others		
features	Data protection	PETs	Anonymi	zation	Others		
	Traceability Tagging (QR, NFC, R		C, RFID)		Others		
	U	nique technical asp	ects				

The vision is to go from a monolithic data sharing platform perspective towards a federated network of platforms. Enabling all supply chain operators to connect, operating their own IT systems or platforms. In contrast to the traditional platforms which only access data that is within the database of their system, the federated platform aims to leverage on decentralized architectures in order to access any data anywhere in the world. Moreover, the adoption of semantic web technologies for linked data (RDF) enables a better representation of data and powerful querying capabilities.

Maturity level and application sectors

The maturity level is akin to the TRL 6-7 level. This means that FEDeRATED is applied and developed in several prototypes and different sectors but has no market ready product to offer.

The main purpose is the development of the foundations for a secure, open, and neutral data sharing infrastructure provision through practical Living Labs. The 15 FEDeRATED partners are executing 23 Living Labs/Pilots until the end of 2023. Living Labs are required to cover several modes of transport putting focus upon multi-modal concerns and events within (including a section of) a transport corridor. The Living Labs address the value of enhanced transparency, data sharing with a focus beyond a single organization, and encourage data sharing and collaboration among multiple parties along the transport chain.



GTS

Global Textile Scheme (GTS)

Developed by a cross sectoral industry initiative of material suppliers, brands, retailers and IT companies (ERP). The develop a unique end-to-end data exchange standard for textile value chains with "Mapping function" (current data worlds can remain the same).

Mapping with respect to the reference framework											
Product ID	<u>Type</u>	li	nstance			Catego	ory				
11000001D	<u>Granularity</u>	Model	Ba	atch	Prod.	order	Single item				
	<u>Type</u>	RFID	QR Code	Digital watermark	Bluetoo label	oth Ba Coo	de Other				
Product data	Machine reada	<u>ble</u>		Yes			No				
Curren	data carrier			103			10				
	<u>Resolver</u>			Yes		I	No				
Digital	ID minting		Ce	entralized		Decer	tralized				
connector	<u>Data storage lo</u>	ocation	Ce	entralized		Decer	tralized				
IT architecture:	<u>Openness</u> <u>level</u>	Standardized	Proprie	etary D	ata port	5	Others				
transport	Data packaging	g C	Data transf	er		API					
IT.	<u>Level</u>			Simple		Adv	anced				
Access control	<u>If advanced</u>		Attr	ibute based		Role based					
IT architecture: Data use	Label	ling	En	forcement		Ot	hers				
іт	<u>Evidence</u>	Blo	ockchain	Veri Cred	fiable entials		Others				
architecture: Data mgmt	<u>Convenience</u>	١	Wallet	Data	Ports		Others				
features	Data protectio	<u>n</u>	PETs	Anony	mization		Others				
	Traceability	Т	agging (QI	R, NFC, RFID)	Ot	hers				
		Unique te	echnical as	pects							

USP: Pulling data concept, like an online bank statement. Covering data from fiber to circularity. Technical implications: (1) catalogue with clear semantics and; (2) encoding each of the data in the



catalogue for multilingual features. Today the system is based on article – colour – size (Stock Keeping Unit = GTIN) but could be extended to article – colour – size – production order - lot.

Per user only onetime translation/mapping process per product class, therefore reduced interface complexities.

Maturity level and application sectors

Maturity level: Complete for today's needs.



GoodsTag GmbH Smart Products Platform

GoodsTag GmbH Smart Products Platform

With a unique digital ID for each product, our platform enables context-driven services, enhances management and tracking capabilities, and ensures unparalleled brand security. From source-tagging to label printing and personalized customer activation, GoodsTag Smart Products platform covers every aspect of your product journey. The platform provides user-friendly real-time management and analysis tools for every stage, from production and warehousing to in-store and at-home experiences. Gain complete visibility into the product life cycle, down to the individual item, and enjoy unmatched end-to-end control. By harnessing the power of smart products, you can transform them into real-time media channels. Forge deeper customer and brand relationships through personalized and meaningful product interactions. GoodsTag empowers you to deliver the perfect experience at precisely the right moment, fostering loyalty and engagement.

	Mapping	with res	pect to	the refer	ence fra	amework				
Droduct ID	Туре		Inst	ance			Catego	ory		
Product ID	<u>Granularity</u>	Mod	lel	Bat	ch	Prod. o	rder	Single item		
	<u>Type</u> R	FID C)R Code	Digi water	tal mark	Bluetooth label	Bar Code	Other		
Product data	Machine reada	ble		Yes			N	D		
Carrier	<u>data carrier</u>	_								
	<u>Resolver</u>			Yes			N	D		
Digital	ID minting			Centrali	zed		Decent	ralized		
connector	<u>Data storage lo</u>	ocation		Centrali	zed		Decent	ralized		
IT architecture:	<u>Openness</u> <u>level</u>	Standa	rdized	Propr	ietary	Data po	orts	Others		
Data transport	Data packaging	g Data transfer					AF	א		
IT	<u>Level</u>	Simple					nced			
Access control	<u>If advanced</u>		A	ttribute	based		Role based			
IT architecture: Data use	Labellin		Enforcer	nent	Others					
IT architectu <u>re:</u>	<u>Evidence</u>		Blockch	nain	Ve Cre	erifiable edentials	Others			
Data mgmt	<u>Convenience</u>		Walle	et	Da	ta Ports		Others		
features	Data protection	<u>n</u>	PET	5	Anor	nonymization C		Others		



<u>Traceability</u>

Tagging (QR, NFC, RFID)

Others

Unique technical aspects

The GoodsTag Smart Products Platform is built on the base of an API-first microservice infrastructure, it seamlessly integrates with various systems and applications, enabling effortless communication and data exchange. The platform is ID agnostic, accommodating multiple identification methods and standards such as RFID, NFC, QR codes, and more. It also supports handling IDs at any level, whether it's SKU, batch/lot, or single item, providing granular control and tracking capabilities. GoodsTag is trigger technology agnostic, allowing seamless integration with different trigger technologies like various RFID readers and mobile devices. This versatility ensures that your smart products can be activated and interacted with through the most suitable means for your business. Adhering to GS1 standards, including the early adoption of the GS1 Digital Link standard, GoodsTag ensures compliance and compatibility with global best practices in product identification and data management. This standard unlocks opportunities for richer product information, dynamic interactions, and extended functionalities through web links associated with product identifiers.

Maturity level and application sectors

The GoodsTag Smart Products Platform is a mature and robust solution that has been developed and refined to meet the diverse needs of various application sectors. With a proven track record and experience in the industry, GoodsTag offers a high level of maturity in terms of technology, functionality, and reliability. The platform caters to a wide range of application sectors, including retail, manufacturing, fashion, FMCG, healthcare, and more. GoodsTag enables enhanced inventory management, personalized customer experiences, and improved supply chain visibility. With its flexible and adaptable nature, the GoodsTag Smart Products Platform can be tailored to meet the specific requirements of various sectors, making it a versatile solution for companies across industries. The platform facilitates traceability and real-time tracking as well as monitoring capabilities of diverse products. GoodsTag's maturity level and its applicability to diverse sectors make it a trusted and reliable choice for businesses seeking to digitize their product lifecycle, enhance operational efficiency, and provide exceptional customer experiences.









Useful link:

https://www.goodstag.com/platform/



• •



itmatters

Itmatters										
Unique Cradle t	Unique Cradle to Grave 4.0 garment and footwear traceability solution.									
Mapping with respect to the reference framework										
	<u>Type</u>		In	stance				Categ	ory	
Product ID	<u>Granularity</u>	Мос	lel	Ba	atch		Prod.	order		Single item
	<u>Type</u>	RFID	QR Cod	e wate	gital ermark	Blue la	etooth abel	Bar Code	е	NFC
Product data carrier	Machine reada	<u>ible</u>		Yes				Ν	0	
Currier	data carrier									
	<u>Resolver</u>			Yes				N	0	
Digital	ID minting			Cent	ralized		l	Decent	raliz	zed
connector	<u>Data storage lo</u>	ocation		Cent	ralized		1	Decent	raliz	zed
IT architecture:	<u>Openness</u> <u>level</u>	Stand	ardized	Prop	orietary		Data po	orts	С	thers
transport	Data packaging	S	Data transfer					A	P	
IT	<u>Level</u>		Simple					Adva	nce	d
Access control	<u>If advanced</u>		Attribute based					Role based		
IT architecture: Data use	Labell	ing		Enfor	cement		Others			
IT	<u>Evidence</u>		Blockcl	hain	۱ د	Verifia reder	able ntials		Ot	ners
architecture:	<u>Convenience</u>		Wall	et	C	Data P	orts		Otl	ners
features	Data protectio	<u>n</u>	PET	S	And	onymi	ization		Otl	ners
	Traceability		Tagging	(QR, NFC	, RFID, O	GS1)		Oth	ers	
		Uniq	ue techi	nical aspe	cts					

Itmatters data Mesh cloud S.A.A.S Platform today has 1 billion connected objects capacity and provides the following information to brands & manufacturers, end consumers and governments administrations.



. .





Itmatters technical solution: Itmatters provides a unique Cradle to Grave traceability 4.0 Solutions to propel retail brands in their digital transformation journey towards circular economy with powerful Direct to Consumer Engagement.

At itmatters we: Support brands & the raw material industry in D.N.A. analysis of plant fibers, (organic or fertilized, including % of purity) and an isotopic analysis to determine the geographic origin (an answer to Uyghurs Cotton & consumer concern). Itmatters supports brands & the raw material industry in tracking and authenticating every raw material origin with itmatters By Olnica a patented taggant chemical DNA tracer, harmless, odorless and easily readable with a mobile app. A solution, based on IoT Smart Tags, a cloud platform and a branded customised webapp for a proper Direct to Consumer Engagement. A range of long lasting soft washable tag UHF or BI techno (UHF & NFC) embedded in any garment or apparel to fit any product which supports our recycling automatised processing of raw material component composition sort out.

Please see all technical features related to Garments and shoes smart tag: <u>https://ldrv.ms/x/s!AuG5tlk70Dt7g84TL6Ho1YTgllvCFw?e=42rkPU</u>



Agnostic Data Mesh SAAS CLOUD Platform interoperable with any data carrier (UHF, RFID, NFC, GS1 digital Link, QR Code, Datamatrix, Bluetooth, Lorawan, Sigfox). Itmatters platform has Blockchain Ethereum and a private Blockchain, an AI tool, and an impact calculator tool under the EU PEF method (Product Environmental Footprint).









. .



DPP-Related Initiatives-V2

The 4.0 solution is flexible and can be used with any existing IT environment. Tags are ready including the washable 3 cm soft UHF tag and the 7 cm bi techno UHF& NFC tag to support large production over 1 billion manufacturing capacity.

We have a cloud platform build on two engines; an IoT engine which records in real time any data carrier information from Cradle to Grave, and a predictive engine (AI) device set: to alert, to anticipate, to take action regarding merchandise flow traceability. Finally, our customised mobile phone is made with Progressive Web App technology, a powerful solution for businesses



looking to improve their online presence and user engagement. It gives users an app-like experience that works on any device or platform. This includes a user interface that is smooth and easy to use, as well as the ability to work offline. PWAs can provide offline support, which allows users to access the app even when they don't have an active internet connection.

Useful link: <u>https://itmatters.fr/</u>



Kezzler

Kezzler

Kezzler enables brand owners to build sustainable value chains through its Connected Products Platform. The platform is used to collect, structure, and share traceability data 'AT SCALE'. Massive product volumes are handled with flexibility and at speed.

To comply with Digital Product Passport requirements, the Connected Products Platform allows brand owners to:

- 1. Digitize their products by providing a digital identity.
- 2. Collect all relevant data linked to a product's journey, all in one place. As products are travelling throughout the Value Chain there are multiple interactions and events, thus forming a product journey (or an item cv) that is being built.
- 3. Important is the ability to provide opportunities for dynamic interactions with a variety of users through the Digital Product Passport (Warehouse Managers, Prospects, Customers, Inspection agents, Repair Services, Recycling companies, or other IT systems). The Connected Products Platform enables these dynamic interactions

Mapping with respect to the reference framework										
Product ID	<u>Type</u>		Insta	nce				Categ	gory	
	Granularity	Mod	el	Bato	h		Prod. o	rder	Sin	igle item
	<u>Type</u> R	FID C	R Code	Digit waterr	al E nark	Blue Ia	etooth Ibel	Bar Code	e	Other
Product data	Machine reada	<u>ble</u>		Yes				Ν	10	
Carrier	data carrier									
	Resolver			Yes				Ν	10	
Digital	ID minting			Centralia	zed			Decen	traliz	ed
connector	<u>Data storage lo</u>	cation		Centrali	zed			Decen	traliz	ed
IT architecture:	<u>Openness</u> <u>level</u>	Standa	rdized	Propri	etary	(Data po	orts	C)thers
Data transport	Data packaging	Ĩ	Data transfer				API			
IT	<u>Level</u>			Simple	9			Adva	ance	b
Access control	If advanced		At	tribute k	based			Role	base	d
IT architecture: Data use	Labellinį	5	E	Inforcen	ient			Others		
IT architecture:	<u>Evidence</u>		Blockcha	ain	Ve Cre	Verifiable Others Credentials				ners



Data mgmt features	<u>Convenience</u>	Wallet	Data P	orts	Others		
	Data protection	PETs	Anonymi	zation	Others		
	<u>Traceability</u>	Tagging (QR, NF	C, RFID)		Others		
Unique technical aspects							

While building a platform that prioritizes interoperability using standards-based integrations, Kezzler has ensured scalability and flexibility by developing proprietary technologies related to serialization, traceability data compression and data management. Our IP results in a reduction in the complexity of the repository required, reduces overall data processing requirements and the latency associated with large-scale track & trace.

In particular, the Kezzler Connected Products Platform provides:

- The ability to create and manage vast volumes of cryptographically secure UIDs
- Proprietary compression technology for long-term data storage of events data and rapid query response simultaneously
- Scalable and flexible API Integration Gateway for unmatched ease of integration
- Security first approach with multi-layered security to ensure only appropriate access to data via Role Based as well as Object Based access control
- ISO 9001 certified, GDPR and ISO 27001 compliant

Maturity level and application sectors

Kezzler is an independent company with 20 years' experience in implementing its Connected Products Platform as its only core business, headquartered in Norway with subsidiaries in the Netherlands, USA, India, Singapore, and China. Kezzler has a mature global partner network as well as being backed by solid industrial investors.

Recent experience of dedicated client instance deliveries at scale:

- Handling an annual addition of 5+ billion items into a single client's environment.
- Handle 2+ billion EPC identifiers annually in a scalable EPCIS 2.0 repository.
- Handling multi-million daily API calls for a single client.
- Track and Trace system spanning multiple software instances including across the Chinese firewall.
- Integrating 5000+ Point of Sales systems, as well as over 20 integrations towards other parts of their IT landscape.

Application Sectors: Textile, Electronics, Furniture, Cosmetics, Batteries and/or any products manufactured at scale with a complex Value Chain.

Useful links: www.kezzler.com









. . .



Log Data Hub

Log Data Hub

Log Data Hub is a solution that enables companies to create digital product passports for goods, parcels, or containers, with a focus on the supply chain and carbon footprint.

The history of a product can be completed with elements from the owner or third parties for optimal traceability. The solution encourages the extension of a product's life and allows to really enter the circular economy.



Mapping with respect to the reference framework									
	<u>Туре</u>		Inst	ance		Category			
Product ID	<u>Granularity</u>	Mod	del	Batch		Prod. order		Single item	
	<u>Type</u>	RFID	QR Code	Digital watermark	Blue Ia	etooth abel	Bar Code	Other	
Product data	Machine read	able		Yes			No)	
Carrier	<u>data carrier</u>	_							
	<u>Resolver</u>			Yes)	
Digital	ID minting			Centralized		Decentr	alized		
connector	<u>Data storage l</u>	ocation	cation Centralized			Decentralized			
IT architecture: Data transport	<u>Openness</u> <u>level</u>	Standa	ardized	Proprietary		Data po	rts	Others	
	<u>Data packagin</u>	g		Data transfer		API			
IT architecture: Level				Simple		Advanced			
Access control	If advanced		/	Attribute based			Role based		





IT architecture: Data use	Labelling		Enforcer	ment	Others		
IT architecture:	Evidence Blockchain		Blockchain	Verifia Creden	Others		
Data mgmt	<u>Convenience</u>		Wallet	Data Ports		Others	
features	Data protection		PETs	Anonymi	zation	Others	
	<u>Traceability</u>	-	Fagging (QR, NF		Others		
Unique technical aspects							

Log Data Hub is based on KeeeX Stories, a universal framework developed by <u>KeeeX</u> to track and trace any product using navigable chained metadata files whose sequence can be traversed from end to end. It allows to record evidence related to the history of a specific product or process (events, information, documents).



The solution guarantees the confidentiality and security of the data: it records only the traces and leaves the files to their owners. Each trace is linked by a unique identifier to a protected, signed, time-stamped, provable, and verifiable file.

The tool allows you to record an event on one or more traceability chains with the ability to trace from batch to unit. An open-source repository of json schemas ensures the interoperability of information. The main industrial data and exchange standards are supported: REST-API, GS1 EPCIS, Digital Link, SSI.





It is also possible to use the <u>Photo Proof Pro</u> mobile app to add photo or video evidence to a product story.

Maturity level and application sectors

The solution is used in production since 2019 and KeeeX has been developing digital evidence and traceability solutions since 2014.

The main applications sectors are industry, supply-chain, luxury and cosmetics, agrifood.

Useful links:

KeeeX & Supply-Chain: https://www.youtube.com/watch?v=lynUtCz-oTI

KeeeX technical properties: <u>https://keeex.me/wp-content/uploads/Note-on-KeeeXs-properties-keeexed-xusos-tolaf.pdf</u>



Loopcycle

Loopcycle

Loopcycle is a digital platform that connects manufacturers and operators to trace, manage and recover commercial equipment across its lifecycle, unlocking latent circular and commercial value.

Loopcycle provides a lifecycle solution using three products:

1. A product tracker, enabling manufacturers to embed traceability at industrial scale from the point of manufacture.

2. A digital inventory for operators of commercial equipment to effectively track, trace and manage their equipment across multiple sites.

3. A resale marketplace through which operators can obtain maximum value through traceable exchanges with other platform members, or recovery of unwanted equipment by the product manufacturer.

Loopcycle builds a digital ecosystem that provides customer intelligence and asset management resource recovery with profiling data to measure embodied carbon. With the adoption of DPP regulation, Loopcycle can help organizations stay compliant, competitive and on track for Net Zero goals.

Mapping with respect to the reference framework									
Product ID	Туре		Insta	Instance			Category		
i i oddoci ib	<u>Granularity</u>	Mo	del	el Batch		Prod.	order	Single item	
	<u>Type</u> R	FID	QR Code	Dig water	ital E mark	Bluetooth Iabel	Bar Cod	Other e	
Product data	Machine reada	able	Yes				١	No	
Carrier	data carrier								
	<u>Resolver</u>			Yes			١	No	
Digital	ID minting	Centralized				Decentralized			
connector	Data storage lo	Centralized				Decentralized			
IT architecture:	<u>Openness</u> level	Openness level Standard			rdized Proprietary			Others	
Data transport	Data packagin	g	Data transfer				ΑΡΙ		
IT	<u>Level</u>			Simp	le		Advanced		
Access control	If advanced		At	tribute	based		Role based		
IT architecture: Data use	Labellin	g	Enforcement			Otl	hers		
IT architecture:	<u>Evidence</u>		Blockcha	ain	Ve Cre	erifiable edentials		Others	



Data mgmt	<u>Convenience</u>	Wallet	Data Ports	Others			
features	Data protection	PETs	Anonymization	Others			
	Traceability	Tagging (QR, NF	C, RFID)	Others			
Unique technical aspects							

Of aspects related to DPPs, the Lifecycle Tracker is most relevant. It ascribes a digital identity to every product baked into the blockchain. As an entity changes ownership or state throughout its lifecycle, the platform detects the change and encodes it as an immutable transaction. The provenance of any identifiable asset can be presented by simply scanning a QR Code or NFC.

As it enters the platform, an AI model powered by machine learning automatically detects the specifications of the product and registers it to the platform. Another model detects the manufacturer and builds a link back to them. Owners of the product can then interact with the manufacturers of the product or relevant service partners via an MQ Telemetry Transport (MQTT) based messaging system for warranty, maintenance, and recovery.

This then creates a digital inventory for all parties, which harnesses the power of the blockchain for security, privacy, and immutability.

Maturity level and application sectors

Loopcycle is a commercialised product, working in a live environment at TRL9. Our platform has been successfully applied to manufacturers and operators in the commercial catering equipment sector. As a two-sided platform, we connect manufacturers of commercial equipment on one side, with operators of this commercial equipment on the other – with operator segments broken down into healthcare, education, hospitality, and commercial real estate. Through our healthcare operators we have identified potential soft landings into new manufacturing sectors, with early validation in the medical equipment sector and exposure to companies like Medtronic, Johnson & Johnson and Philips. Whilst we have targeted specific sectors in which to land and expand, Loopcycle is applicable to B2B sectors in which intermediaries exist and manufacturers want to better understand their products, and where operators have a need to better understand the equipment that they have across several locations.

Useful links:

loopcyle.io

https://www.linkedin.com/company/loopcycle/



63



• •





Got a phone? Scan me!

LOOPCYCLE





The OK Supply Chain Management platform

The OK Supply Chain Management platform

OK helps organisations in cross-industries manage and share documentation, work, and relationships for products, sites, workers, and the organisation itself.



Mapping with respect to the reference framework									
Product ID	<u>Type</u>		Insta	nce			Category		
FIGUACUE	<u>Granularity</u>	Mo	del	Batch	า	Prod. or	rder	Single item	
	<u>Type</u> R	FID	QR Code	Digita waterm	al B Iark	Bluetooth label	Bar Code	e Other	
Product data carrier	Machine reada	able		Yes			Ν	10	
	data carrier								
	<u>Resolver</u>	Resolver			Yes			10	
Digital	ID minting		Centralized			Decentralized			
connector	Data storage lo		Centralized			Decentralized			
IT architecture:	<u>Openness</u> <u>level</u>	Openness level Standar			rdized Proprietary I			Others	
transport	Data packaging	g	Data transfer				API		
IT.	Level			Simple			Advanced		
Access control	If advanced		At	tribute ba	ased		Role	based	
IT architecture: Data use	Labellin	g	E	nforcem	ent		Oth	ners	
IT	<u>Evidence</u>		Blockcha	ain	Ve Cree	rifiable dentials		Others	
architecture:	<u>Convenience</u>		Wallet	t	Data Ports			Others	



. .



Maturity level and application sectors

OK focus on intuitive user interfaces over depth, allowing small-to-medium enterprises to unify and share basic information across the value chain (including with end consumers) more easily and with a low barrier of entry. Our goal is to help companies start their sustainability journey and build brand trust through transparency over time, by sharing lab reports, quality control logs, automated visual supply chain maps of individual items and the like with ease.

At OK, we view it as our responsibility to our members to track the development of Digital Product Passports, Digital Ports etc. and build simple interfaces to synchronise data to such systems, even if you are a smaller or growing actor without the engineering or financial means to implement enterprise level software. We want to live in a world where it is easy to buy, make, and maintain reliable and environmentally friendly things.

Current users: Battery, Electronics, Furniture and Construction. It can be used in any sectors.





Useful links:

https://oktrade.org

https://rethink-event.com/insight/an-ok-workflow-for-product-sustainability/ https://blog.okgrade.com/how-to-improve-supply-chain-collaboration-and-the-benefits-foryour-organisation-cbdcfb79b3ca



Peppol

Peppol

Peppol is a global network based on open standards, where you can connect once and reach everybody in the network. The format is based on ISO standards and any kind of product related information can be exchanged using the Peppol network. Suppliers and manufacturers are already using this network to provide this kind of data. It is a mature organization with well-established governance (Peppol Interoperability Framework) including legal agreements, governance, and compliance measures, operating in more than 40 countries all over the world.

OpenPeppol, a non-profit international association established under Belgian law, was founded in 2012 as a follow-up to the PEPPOL Large Scale Pilot project (LSP) launched in 2008 and funded by the European Commission. The goal of the PEPPOL LSP was to enable frictionless trade between public and private bodies by developing Business Interoperability Specifications and standardising the exchange of business documents on an open and secure network.

	Mapping with respect to the reference framework									
Product ID	<u>Түре</u>		Insta	nce			Category			
	<u>Granularity</u>	Mod	el	Batch	١	Pro	d. order	Sir	ngle item	
	<u>Type</u> RI	FID QR Code		Digita waterm	ll B ark	luetoo label	oth Ba	r de	Other	
carrier	<u>Machine reada</u> <u>data carrier</u>	<u>ble</u> Yes			No					
	<u>Resolver</u>			Yes				No		
Digital	ID minting	Centralized				Decentralized				
connector	Data storage lo	cation Centralized				Decentralized				
IT architecture:	<u>Openness</u> <u>level</u>	Standardized Proprietary			tary	Dat	a ports	(Others	
transport	Data packaging	Data transfer			L		API			
IT such its structure	<u>Level</u>			Simple		Advanced				
Access control	<u>If advanced</u>		At	tribute ba	ased		Role based			
IT architecture: Data use	Labelling	g Enforcement					0	thers		
IT	<u>Evidence</u>		Blockch	ain	Ver Crea	rifiable dentia	e Is	Otl	hers	
architecture:	<u>Convenience</u>		Walle	t	Dat	a Port	S	Ot	hers	





Data mgmt	Data protection	PETs	Anonymi	ization Others			
features	Traceability	Tagging (QR, NF	C, RFID)		Others		
Unique technical aspects							

Peppol enables buyers and suppliers to exchange business documents and processes by using the Peppol network in compliance with the Peppol Interoperability Framework. Peppol provides a ready-to-use, scalable, both domestic and cross border, four-corner model, utilising a market of private sector service providers that are connected to sending and receiving organisations.

The Peppol Interoperability Framework provides the specifications and the governance for the exchange of data over the Peppol eDelivery network. Peppol is based on standards from OASIS and CEN and can enable traceability based on specific business requirements.

The Peppol network connects the platforms of service providers, but it is not a platform in itself. The Peppol network is created by hundreds of Peppol-certified Service Providers around the world. They securely distribute message content (business documents or any product information agreed) between buyers and suppliers, based on an open, four-corner model.

Maturity level and application sectors

Although originally conceived as a European project, Peppol is increasingly being used around the world, therefore the market scope is international with high penetration. The interoperability framework is just as relevant for trade between private businesses (B2B) as it is for trade between public and private sector bodies (B2G). The Peppol network can be used for any type of information as long as it is defined in a standardized way and agreed by the partners exchanging it. Peppol has information models and technical formats for product information used for product catalogues and ordering used in the supply chain exchange. Because Peppol is being used for business process interoperability such as product information exchange, eCatalogues, eOrdering, etc., it is being used in any type of organization (public or private). The Peppol initiative is cross-sector, as Peppol is the main network for exchanging data regarding electronic catalogues, electronic invoices and other supply chain documents in all sectors of the economy.

Useful link: https://peppol.org



Product DNA®

PRODUCT DNA®

Trimco's ProductDNA[®] digital technology streamlines all stages of a product's life cycle to implement, monitor and achieve a brand's sustainability goals while complying with international regulations. ProductDNA[®] features **four modules**, each designed to facilitate a brand's sustainability goals; 1) The **Certificate Manager** helps brands monitor environmental, social, safety compliance documentations and any other document relevant to map and understand a brand's supply chain; 2) The **Product Manager** provides in-depth insights at the material level, including certifications and any other documentation, crucial for responsible sourcing and an essential tool for validating weight-based claims and answering the EU strategy for a circular and sustainable textile industry; 3) The **Digital Manager** involves the use of QR codes and NFC solutions to communicate and increase transparency with consumers as well as any other stakeholder involved in the product lifecycle. It includes PaaS options and connecting with the consumer via a product's digital ecosystem; 4) The **Packaging Manager** generates automated packaging reports for international EPR requirements.

Mapping with respect to the reference framework										
	<u>Type</u>		Ir	nstan	се			Category		
Product ID	<u>Granularity</u>	Mode	I	Batch			Prod	. order	Single item	
	<u>Type</u>	RFID	QR C	ode	Digital watermark	Blue [:] Ial	tooth oel	Bar Code	Other	
Product data carrier	Machine read	<u>dable</u>			Yes			Ν	lo	
	<u>Resolver</u>			Yes				No		
Digital	ID minting			Centralized				Decentralized		
connector	Data storage	location		Centralized				Decentralized		
IT architecture:	<u>Openness</u> <u>level</u>	Standa	rdized		Proprietary		Data po	orts	Others	
transport	<u>Data packagi</u>	ng		Data transfer				А	PI	
IT architecture:	<u>Level</u>				Simple			Adva	anced	
Access control	<u>If advanced</u>				Attribute base	ed		Role	based	
IT architecture: Data use	Labo	elling			Enforcement	:		Otl	ners	



ІТ	<u>Evidence</u>	Blockchain	Verifiable Credentials	Others				
architecture: Data mgmt	<u>Convenience</u>	Wallet	Data Ports	Others				
features	Data protection	PETs	Anonymizatio	on Others				
	Traceability	Tagging (QR, N	FC, RFID)	Others				
Unique technical aspects								

Trimco's ProductDNA[®] is built on composable architecture adopting MACH (microservices-based, API-first, cloud-native and headless) principles. The overall architecture consists of a Single Master location with centralised components such as integrations APIs and file storage; as well as satellite locations where interactions are hosted close to the user for better supply chain user experience. The security architecture ensures IT and data security, compliance and orchestration. The API based layers maximise interoperability and enable Product DNA[®] to connect to and collaborate with multiple supply chain partners and compliance authorities. The architecture and solution design maximise scalable solution with intelligent model generation for predictive analytics and machine learning, also focus on high scalability and flexibility with best UI/UX experience for supply chain users. A mobile app extension for value-added initiatives is possible and has been adopted by several companies. GS1 Digital Link standard is adopted with revolver capability for multiple use cases.

Maturity level and application sectors

The onboarding of the complete 4 modules system is enabled by the already existing global network of garment factory and fabric suppliers, as well as the already integrated EDI API platforms between TRIMCO and textile and footwear brands since 2010. ProductDNA is today in use by **30 Global Textile and footwear brands,** among them DK Company, Asics, Dynamic Brands, Bergans, Tog24.



References and useful links:

- About ProductDNA <u>https://www.trimco-</u> group.com/solutions/product-dna-supplychain-traceability/
- ProductDNA case studies
 <u>https://www.trimco-</u>
 <u>group.com/?s=productDNA</u>
- Scan QR code and check an example of DPP by ProductDNA
- ProductDNA dashboard overview:









. . .
QI-Digital

QI-Digital

QI-Digital is an initiative of the central players in German quality infrastructure (QI) - DIN, DKE, DAkkS, PTB, and BAM. The Federal Ministry of Economic Affairs and Climate Action (BMWK) supports QI-Digital as an essential contribution to the success of innovative technologies, products, and processes - to strengthen Germany as a business location.

The pillars are built on a foundation of suitable data structures, the <u>QI Cloud</u>, <u>smart standards</u>, digital product passports and <u>digital certificates</u>, as well as a corresponding legal framework. The interplay creates synergies that we use for the sustainable establishment of an agile innovation system for modern, digital QI. The resulting processes and procedures can be transferred to different use cases. For BAM, two use cases are considered: additive manufacturing and H2 gas stations.

Mapping with respect to the reference framework										
Product ID	<u>Type</u>		Insta	nce			Categ	gory		
i roddor ib	<u>Granularity</u>	Mod	el	Batch		Prod. or	rder	Single item		
	<u>Type</u> RF	ID Q	R Code	Digital watermark	Blue	etooth abel	Bar Cod	Other e		
Product data carrier	<u>Machine readab</u> data carrier	<u>ole</u>		Yes			٦	No		
	<u>Resolver</u>			Yes			1	No		
Digital	ID minting			Centralized			Decen	tralized		
connector	Data storage loc	ation		Centralized		Decentralized				
IT architecture:	<u>Openness</u> <u>level</u>	Standar	rdized	Proprietary	,	Data po	rts	Others		
transport	Data packaging		D			Ļ	API			
IT such its struct	<u>Level</u>		Simple				Advanced			
Access control	If advanced		At	tribute based	ł	Role based				
IT architecture: Data use	Labelling		E	nforcement			hers			
ІТ	<u>Evidence</u>		Blockcha	ain	Verifi Creder	erifiable Others				
architecture: Data mgmt	<u>Convenience</u>		Walle	t I	Data F	Ports		Others		
features	Data protection		PETs	An	onym	ization		Others		
	Traceability		Fagging (QR, NFC, RFI	D)		Ot	hers		



Unique technical aspects

A digital product passport based on assets administrative shells which is compatible with other QI digital assets such as Smart Standards and digital certificates.

QI-Digital offers a unique approach to embed the DPP in the complete chain of quality infrastructure. Hence it is an important element make the DPP as the starting point to transform the EU single market into the age of digitization – in in other words "EU single market 4.0".

Maturity level and application sectors

Maturity is in the concept level and user stories collections and requirement analysis. <u>https://www.qi-digital.de/</u>



QI-Cloud

Solution Name: QI-Cloud

The QI-Cloud is a trust network for mapping processes with and for a digital product passport.

Its objectives are (1) to serve as single point of contact, where all information relevant to a product is contained in an abstract digital representation, (2) to offer uniform interfaces, that allow simple and transparent integration of data, and (3) to provide data sovereignty in the network by secure provision of data and consideration of the principle of minimality.

Mapping with respect to the reference framework										
Product ID	<u>Type</u>		Insta	ince			Categ	ory		
Troduct ID	<u>Granularity</u>	Mo	del	Bate	ch	Prod. or	der	Single item		
	<u>Туре</u>	RFID	QR Code	Digi ¹ waterr	tal B nark	Bluetooth label	Bar Code	Other		
Product data carrier	<u>Machine reac</u> data carrier	lable		Yes			No			
	<u>Resolver</u>			Yes			No			
Digital	ID minting			Centrali	zed		Decentralized			
connector	Data storage	location		Centrali	zed		Decentralized			
IT architecture:	IT <u>Openness</u> Stand			dardized Proprietary [Others		
transport	Data packagi	ng	Γ	Data trar	sfer		A	PI		
IT	<u>Level</u>			Simpl	е		Advanced			
Access control	If advanced		At	ttribute l	based		Role based			
IT architecture: Data use	Labelli	ng	E	Enforcen	nent	Others				
іт	<u>Evidence</u>		Blockch	ain	Vei Crea	rifiable dentials		Others		
architecture: Data mgmt	<u>Convenience</u>		Walle	t	Dat	a Ports		Others		
features	Data protecti	<u>on</u>	PETs		Anony	ymization		Others		
	Traceability		Tagging	(QR, NFC	C, RFID)		Oth	ners		



Unique technical aspects

Full crypto-based security is provided via a distributed ledger PKI. Our solution supports a keybased login as well as signing of processes by certification bodies.

The distributed ledger facilitates secure processes and their distributed, tamper-proof logging, while also ensuring data consensus.

The data management supports an enriched data schema, allows access management, and offers a data merger.

Maturity level and application sectors

We developed a reference architecture that complies with all contraits that were initially derived from the requirements in the field of legal metrology. The reference architecture can be implemented in many ways and is, thus, generalizable to a wide range of different domains in the quality infrastructure system and beyond.

An OpenSource demonstrator code in RUST is being developed in order to encode all features of the reference architecture. The employed software stack is based on existing solutions and includes, amongst others, Raft, PostGres, ring/rustls, Hyper, Docker, and Debian.











•



RCS BP

RCS BP

RCS Battery Passport has clear data governance over a chain of custody system to issue the battery passport combining multiple threads of data from multiple data points. RCS BP incorporates different global users (public, regulator, commercial), to understand battery's ESG footprint/origin, tracing solution for passport material, recycled content and GHG emissions.

Mapping with respect to the reference framework										
Product ID	<u>Туре</u>		Insta	nce			Cate	gory		
Troduct ID	<u>Granularity</u>	Mod	el	Bat	ch	Prod	. order	Single	item	
	<u>Type</u> R	FID C	R Code	Digi wateri	tal mark	Bluetoot label	h Ba Coo	r O	ther	
Product data carrier	Machine reada	Ves				No				
	data carrier						NO			
	<u>Resolver</u>			Yes				No		
Digital	ID minting			Centrali	zed		Dece	ntralized		
connector	Data storage lo	<u>cation</u>		Centrali	zed		Decentralized			
IT architecture:	<u>Openness</u> level	rdized	Propri	ietary	Data	ports	Othe	rs		
Data transport	Data packaging	ł	C	Data trar	nsfer			API		
IT	<u>Level</u>		Simple				Advanced			
Access control	<u>If advanced</u>		At	tribute	based		Role based			
IT architecture: Data use	Labellin	g	E	Inforcer	nent	1	0	thers		
іт	<u>Evidence</u>		Blockcha	ain	Ve Cre	erifiable edentials		Others		
architecture: Data mgmt	<u>Convenience</u>		Wallet	t	Da	ata Ports		Others		
features	Data protection	<u>n</u>	PETs		Anor	nymizatio	on	Others		
	<u>Traceability</u>	٦	Tagging (QR, NFO	C, RFID)		0	thers		
		Uniqu	ue techn	ical asp	ects					

As the project is in the stage of proof of concept at the moment, the tech solution at the moment is prototype end-user website based on ReactJS and optimised towards mobile devices. In parallel we are working on backend and database architecture design, depending on learnings and validations of our assumptions based on user feedback, after interactions with created hands-on





prototype. As we are considering integration with RCS VINE possible tech stack could be based on Elixir with PostgreSQL DB, hosted in the Cloud (AWS or other providers), but as the track and trace part may require using distributed ledger some of the blockchain technologies are also in consideration.

Maturity level and application sectors

Prototype website for user hands-on experience with UX optimized for mobile devices, initial highlevel system design and possible architecture scenarios (advanced product sprint, just before MVP development stage).

PoC, Considering different options





RR

Reserve Resources (RR)

SaaS from where textile recyclers can collaborate with fashion brands and textiles waste suppliers (manufacturers, post-consumer sorters) to access the waste in large aggregated volumes and by their required spec (fibre composition, fabric type, colour, right preparation, quality check), including help with best set up of the necessary supply chains. Brands and public sector can get market insight, aggregated data and trace verification of textile waste flows from source to recycling, do planning and matchmaking or policy development.

Mapping with respect to the reference framework											
Product ID	<u>Туре</u>		Inst	ance				Cate	gory		
Troductib	<u>Granularity</u>	M	odel	Bat	ch		Prod. o	rder	Sii	ngle item	
	<u>Туре</u>	RFID	QR Code	Digi water	tal mark	Blue la	tooth bel	Ba Coc	r le	Other	
Product data carrier	Machine read	<u>able</u>		Yes					No		
	data carrier										
	<u>Resolver</u>			Yes	No						
Digital	ID minting			Centrali		Decentralized					
connector	Data storage	ocation	<u>.</u>	Centrali	ized			Decer	ecentralized		
IT architecture:	<u>Openness</u> <u>level</u>	Stand	dardized	rdized Proprietary [orts	(Others	
transport	<u>Data packagir</u>	g		Data trai	nsfer			l	4PI		
IT	<u>Level</u>			Simpl	е			Adv	Advanced		
Access control	<u>If advanced</u>		Δ	ttribute	based			Role	base	ed	
IT architecture: Data use	Labelli	ng		Enforcer	nent			Ot	hers		
п	<u>Evidence</u>		Blockch	nain	Vi Cri	erifia eden	able Itials		Ot	hers	
architecture: Data mgmt	<u>Convenience</u>		Walle	et	Da	ata P	orts		Ot	hers	
features	Data protectio	<u>on</u>	PET	S	Anoi	nymi	zation		Ot	hers	
	Traceability		Tagging	g (QR, NF	C, RFID))		Ot	hers		
Unique technical aspects											

Traceability of textile materials is unique: when materials are passed from one party to another, we register batches, but through inhouse processes we allow mixing of batches and apply a mass-



balance approach. We don't do any trace product by product, but material category by category (e.g. 100% cotton knit scraps). We also enable trace of brand share of the waste throughout the supply chain with the same approach.

Maturity level and application sectors

Our SaaS offers a service for 4 stakeholders: brand, recycler, waste supplier (e.g. garment factory, a hotel or a post-consumer sorter) and waste handler (any type of preprocessor in between supplier and recycler). The product is fully operational and covers the majority of key features needed for brands and garment factories (industrial waste) for the basic processes. We are currently ~50% level with features for recyclers and handlers, and we are just starting to include post-consumer collectors.



Spherity DPP Solution

Spherity DPP Solution

Spherity's DPP solution is an interoperable, trusted, and secure data exchange and compliance tool

Receive Trusted Data

Process trusted data from your suppliers, such as GHG emissions reports, ESG compliance, and validated company data.

Market your products

Inform your customers about your USP, Eco-labels, and the sustainability aspects of your product, e.g., the percentage of recycled material used.

Reach Legal Compliance

Fulfill your reporting obligation for various upcoming EU regulations, such as the Ecodesign for Sustainable Products Regulation or the Green Claims directive.

Become Interoperable

The solution is based on open standards which avoid vendor lock-in and naturally facilitate interoperability with other DPP solutions and simplifies data exchange with your supply chain partners.



	Mapping wi	th respect	to th	e re	ference fra	mewo	ork			
	<u>Type</u>		Ir	nstar		Category				
Product ID	<u>Granularit</u> v	Mode	I	Batch			Pro	od. der	Single item	
	T									
	<u>Type</u>	RFID	Q Co	R de	Digital waterm ark	Bluetoot h label		Bar Code	Other	
Product data carrier	Machine rea	adable	Yes						No	
	<u>data carrier</u>									
	<u>Resolver</u>				Yes			No		
Digital connector	ID minting				Centralized	d		Decentralized		
	Data storage	e location			Centralized	d		Prod. order oot Bar el Code	ntralized	





IT architecture:	<u>Openness</u> <u>level</u>	Standardi	zed Pro	ed Proprietary		a ports	Others		
	Data packagin	Dat	a transfer		API				
IT architecture:	<u>Level</u>		Simple	Advanced					
Access control	If advanced	Attribute based			R	Role based			
IT architecture: Data use	Labelli	ng	Enf	orcement	Others				
	<u>Evidence</u>	Bloc	kchain Verifiable Credentia		fiable ential	s	Others		
IT architecture:	<u>Convenience</u>	Wa	allet	Data Ports		s Others			
Data mgmt features	<u>Data</u> protection	P	ETs	Anonyr	mizati	tion Others			
	Traceability	Та	agging (QR, NFC, RFID)			Others			
Unique technical aspects									

The DPP solution gives every stakeholder complete control over their own data by using a decentralized approach. Each stakeholder has their own instance of the solution, which includes a decentralized identity wallet. This wallet manages the storage, issuance, verification, and exchange of information regarding products and companies. The wallet implements standards like DIDs, Verifiable Credentials, and DIDComm, ensuring compatibility with other DPP solutions.

Using the solution, two parties can create encrypted channels to exchange information securely without an intermediary. The recipient can verify the authenticity of the information even if it was not directly received from the issuer. This is highly beneficial in supply chains as it grants stakeholders throughout the entire lifecycle of the product access to verifiable product information.

Maturity level and application sectors

Spherity's system is currently being used in production to exchange information related to organizational identity in the US Pharma Supply Chain. Companies in ths supply chain use Spherity to perform Authorized Trading Partner (ATP) authentication to comply with the Drug Supply Chain Security Act (DCSCA).

The DPP system which also comprises product data in addition to oragnisational credentials and enables the generation of DPPs is currently in the pilot phase with a focus on the battery supply chain. Furthermore, Spherity is leading DPP specification and development in the EU-funded research projects MaDiTrace (Critical Raw Materials for batteries). Trace4EU (agri-goods and textiles) and

Further pilots have been completed or are underway in the energy sector, consumer goods, and life sciences. As a consequence, the solution is applicable in a wider range of sectors requiring a Digital Product Passport and secure information exchange along the supply chain.

Useful links:

Implementing Digital Product Passports using decentralized identity standards

Accessing Digital Product Passports with DIDs

The Digital Product Passport and its technical implementation



Digital Products Passport Pioneers podcast

The below Diagrams illustrate the functioning of Spherity's DPP solution which is based on decentralized identity standards. For a full explanation of these diagrams, refer to our blog article <u>Implementing Digital Product Passports using decentralized identity standards</u>





. .

STVgoDigital Texjourney

STVgoDigital Texjourney

STVgoDigital project intends to access secure and reliable information on the sustainability and circularity of textile products, including information about who, where, how, with what and under what conditions the product was manufactured. The project aims to define and develop a digital copy of a textile product with an emphasis on sustainability and circularity, to be able to support services for the various players in the life cycle of the product. To achieve that goal, we developed a system that collects various indicators (manually and automatically), such as resource consumption and pollutants emitted, registering the detailed information about each of the value chain activities. Also, economic and social indicators are collected, such as the certifications of the company, salaries and the number of workers. Using a suitable developed model, algorithms, and platform to compile the data, our system allows sharing of data with its users about environmental and social indicators for each of the products, enabling the environmental and social scoring of every traced product lot.



Mapping with respect to the reference framework

	<u>Type</u>		Insta	ince			Cate	gory	
Product ID	<u>Granularity</u>	Mod	del	Batch	Г	Prod. o	rder	Si	ngle item
	<u>Туре</u>	RFID	QR Code	Digital B watermark		tooth bel	Ba Coc	r le	Other
Product data	Machine read	dable		Voc				No	
Carrier	<u>data carrier</u>			165					
	<u>Resolver</u>			Yes			No		
Digital	ID minting			Decentralized			zed		
connector	Data storage	location		Decentralized			zed		
IT architecture:	<u>Openness</u> <u>level</u>	Standa	ardized	Proprietary	I	Data ports Others			Others
transport	<u>Data packagi</u>	ng	ĺ	Data transfer		API			
	<u>Level</u>			Simple		Advanced			





IT architecture: Access control	<u>If advanced</u>		Attribute	based	Role based		
IT architecture: Data use	Labelling		Enforcer	nent	Others		
ІТ	<u>Evidence</u>		Blockchain	Verifia Creden	ble tials	Others	
architecture: Data mgmt	<u>Convenience</u>		Wallet	Data P	orts	Others	
features	Data protection		PETs	Anonymi	zation	Others	
	Traceability	Tagging (QR, NFC, RFID) Others					
	U	niqu	e technical asp	ects			

There were several technical aspects developed during the course of this project such as:

• **Sustainability Index:** A sustainability index was defined and calculated, represented in the form of a global score, which makes it possible to classify the impact of the individual textile articles, taking into account the impact in relation to economic, social, environmental, and circular factors, as represented in the following figure:



- **Real data:** Instead of using estimated data, this system uses real data, collected automatically and manually for the particular textile product item being produced, and related to its production lot;
- Data carrier: Different alternatives have been developed for data carriers that survive the entire life cycle of the textile article, such as invisible thermochromic QR codes or NFC tags;
- **Decentralized storage**: With the use of blockchain technology, which is a type of distributed ledger technology (DLT), data storage is decentralized;
- Data confidence model: developed to assesses the reliability, accuracy, and completeness of data, in order to ensure that the data collected is reliable;
- Supply chain interoperability;
- Traceability support.

Maturity level and application sectors



Our system is the result of an R&D project, developed in a collaborative environment, ranging from research institutes, software providers and some Portuguese SMEs from the T&C textile industry, focusing two different value chains: a centralized vertical one, with only one player dedicated to home textiles and a horizontal one with different SMEs engaged in the process, dedicated to clothing items. Bearing this in mind, our system was validated already at TRL 6. The technology has progressed beyond the laboratory or basic research stage and was tested in an industrially relevant environment (TRL 6) in two different value chains, being now ready for testing in real-world operational environments (TRL 7). We are now conducting additional tests focused on verifying the functionality and performance of the prototype or model under realistic operating conditions and complex, including international, value chains. The successful completion of TRL 6 sets the stage for subsequent stages, such as full-scale production, deployment, and commercialization of the technology.

Useful links:

http://www.stvgodigital.pt/ https://texjourney.com/



Tappr

Tappr

Tappr is the equivalent of Webflow or Wordpress for products. We are committed to crafting an intuitive and engaging consumer-facing experiences for products and brands.

We make it easy for brands to start building digital product passports themselves or by a team of experts.

Three distinctive yet interdependent components form the bedrock of Tappr's offerings, allowing brands to interact meaningfully with consumers, retailers, and other stakeholders.

Our Experience Center is a mobile-oriented platform that enables consumers to immerse themselves in your products and brand.

Product Cloud is the repository for all product-related data, forming the backbone of our consumer experiences.

Meanwhile, Passportbuilder.com is our dedicated online environment where brands and partners are empowered to build and design these remarkable experiences.

	Mapping	g with respe	ect to th	e refer	ence fra	imewor	'k				
	<u>Түре</u>		Insta	nce				Categor	у		
Product ID	<u>Granularity</u>	Model		Batch			Prod. c	order	Single item		
	<u>Туре</u>	RFID	QR Code	QR Digital Blue Code watermark la				Bar Code	Other		
Product data	Machine reada	<u>ble</u>		Yes				No			
Carrier	data carrier										
	<u>Resolver</u>			Yes				No			
Digital	ID minting	_		Centralized				Decentralized			
connector	Data storage lo	cation		Centralized			[Decentra	lized		
IT architecture:	<u>Openness</u> level	Standard	lized	zed Proprietary			ata por	ts	Others		
Data transport	Data packaging	Ľ		Data t	ransfer			API			
IT architecture:	<u>Level</u>			Sin	nple		Advanced				
Access control	<u>If advanced</u>			Attribu	te based	k	Role based				
IT architecture: Data use	Labelli	ing		Enforcement				Other	-S		
IT architecture:	<u>Evidence</u>	BI	ockchai	n	V Cr	/erifiabl redentia	e als	С	thers		



DPP-Related Initiatives-V2



Data mgmt features	<u>Convenience</u>	Wallet	Data Por	ts	Others	
features	Data protection	PETs	Anonymiza	ition	Others	
	Traceability	Tagging (QR, N	FC, RFID)		Others	
		Unique technical aspe	ects			

- We offer a fully white-labeled solution, brands can use their branding, and we support custom domain names (e.g., qr.brand.com)
- We have a passport builder that allows brands to tailor & customize their experiences on the fly
- We support many unique features such as Bill-of-material, spare parts, wash instructions, warranty, repair, resale, and circularity programs.
- We are integrated with the larger CRM / marketing automation systems such as Klaviyo, Hubspot, ActiveCampaign
- We are GS1 compliant, and we support both QR, NFC, and Encrypted NFC (NTAG424)
- We are entirely ISO27001 certified and GDPR compliant

Maturity level and application sectors

Our solution has maturity level "Defined". We have a solid client base with promising results that support real-world (business) cases. Our implementation process is mature and we have a standardized project approach. Currently, we are extending our scope with technology & resale partners to prepare for roll-out on a mass scale.

Useful links:

https://usetappr.com/

https://usetappr.com/meeting (book a meeting) https://passportbuilder.com/ (coming july '23)











. . .



Worldline TCS

Tax Control Suite (TCS)

Worldline excised stamp and track and trace solution, so called product name Tax Control Suite:

- Is a digital tool for control and monitoring of all excised goods, manufactured or imported into a market, territory or country (near real time visibility with our mobile app);
- Destined to fight illicit trade with less admin burden;
- Increases the revenue for the authority's administration due to the tax collection monitoring;
- Fully compliant with existing international and/or local regulation;
- State-of-the-Art: customisable, interoperable with existing IT systems and leading edge technologies;
- Supporting digitisation and international recognition.

Mapping with respect to the reference framework									
Product ID	<u>Type</u>		Insta	nce			Categ	gory	
i i oudeenb	<u>Granularity</u>	Mod	el	Bat	ch	Prod. or	der	Single item	
	<u>Type</u> RI		R Code	Digi wateri	tal B mark	Bluetooth label	Bar Cod	Other	
Product data carrier	<u>Machine reada</u> data carrier	<u>ble</u>		Yes			No		
	<u>Resolver</u>			Yes			1	No	
Digital	ID minting			Centrali	zed		Decen	tralized	
connector	Data storage lo	<u>cation</u>		Centrali	zed		tralized		
IT architecture:	<u>Openness</u> level	rdized	Propri	etary	Data po	rts	Others		
transport	Data packaging	Data transfer					A	API	
IT	<u>Level</u>			Simpl	e	Advanced			
Access control	<u>If advanced</u>		At	tribute	based		Role based		
IT architecture: Data use	Labelling	3	Enforcement			Others			
IT architecture:	IT <u>Evidence</u> architecture:			in	Vei Crea	rifiable dentials		Others	
Data mgmt	<u>Convenience</u>		Wallet		Dat	a Ports		Others	
Teatures	Data protection	<u>1</u>	PETs		Anony	ymization		Others	



	<u>Traceability</u>	Tagging	g (QR, NFC, RFID)	Others							
Unique technical aspects											
Worldline suit with lo	Tax control suite is ocal authority's nee	a modulable solut ds.	ion to be compose	d with components that woul	d						
	Interoperability, Modularitybuild your own solution										
	Generate Unique Identifier By using the serialization module	Collect and store data's In one unique Centralized repository	Access and manage data Thanks to the user-friendly verification portal	Control ID application Using the in-line production anti-tampering devices							
_	Share evidences with end-customers By using the mobile solutions	Create your own dashboards Using the data analytics module	Connect to government regulated systems Using our country connectors	Manage Taxes collection Using our control reports module for authorities							

The core components are:

- Portal to register the economic operators (including registration of related master data such as information around their facilities, their machines, etc.).
- Portal to enable the order or generation of Unique Identifier to be applied on product to be traced.
- Event repository to control and store the product tracking related events sent by the manufacturers along the product life cycle. The events may cover production processes as well as logistic operations.
- Machine to machine integration thanks to API managing the operations directly from the system of the manufacturers.
- Additional modules could be:
- Statistics and reporting module to provide to the authority a full market or industry related report.
- Mobile application to provide easy access to evidence or control tools.



In addition to the Worldline Tax Control suite which is a fully digital solution, Worldline has strong partnership with the best specialists to provide additional features that would enhance the verification and control of traceability notions:

• Anti-tampering hardware devices to control unique code application on production lines:



. .

- Physical tax stamps design lay-out, printing and supply facilities and;
- New security features technologies.

Worldline may propose a flexible delivery model of the Tax Control Suite. From acting as a global and dedicated service provider to a simple solution provider operated on local premise.



Maturity level and application sectors

Solution used to control tobacco industry in different versions.

- Digital Tax Verification in Switzerland;
- Unique Identifier generation and economic operator registrations in Denmark, Lithuania, Greece, Cyprus, The Netherlands;
- Tax control and import management in Ecuador.

Link: <u>WL Traceability for Authorities - YouTube.</u>



. .

TextileGenesis

Textile Genesis

Textile Genesis is a Blockchain-based platform for the traceability of the origin of fibres for the fashion and textile ecosystem. It includes all 5-6 tiers of the supplier ecosystem, using Fibercoins to trace sustainable textile products from fibre-origin to retail. Fibres such as wood-based.

Mapping with respect to the reference framework										
Product ID	<u>Түре</u>		Insta	nce				Cate	gory	
i i oddoci ib	<u>Granularity</u>	<u>/</u> M	odel	Bato	ch		Prod. ord		Sin	gle item
	<u>Түре</u>	RFID	QR Code	Digit waterr	tal mark	Blue la	tooth bel	Baı Cod	r le	Other
carrier	<u>Machine re</u> data carrie	Machine readable data carrier		Yes			No			
	<u>Resolver</u>		Yes				No			
Digital	ID minting			Centralized				Decentralized		
connector	Data storag	<u>1</u>	Centralized			Decentralized				
IT architecture:	<u>Openness</u> <u>level</u>	Stan	dardized	lized Proprietary Data po			orts	ts Others		
transport	<u>Data packa</u>	ging	C	Data transfer			ΑΡΙ			
IT	<u>Level</u>		Simple					Advanced		
Access control	<u>If advanced</u>	<u>If advanced</u>			Attribute based			Role based		
IT architecture: Data use	Labe	elling	E	inforcem	nent		Others			
l dolT	<u>Evidence</u>		Blockch	ain	V Cr	erifia eden	erifiable edentials		Others	
architecture: Data mgmt	<u>Convenien</u>	<u>ce</u>	Walle	t	Da	ata P	orts		Oth	ners
features	Data prote	<u>ction</u>	PETs		Ano	nymi	ymization		Others	
	<u>Traceability</u>	L	Tagging	(QR, NFC, RFID)				Others		
		Un	ique techn	ical aspe	ects					

Blockchain-based architecture, highly scalable, using so-called Fibercoins to warrant against double spending. Not only companies that want to produce with sustainable fibres but also third-party auditing bodies have access to verify ESG credentials of supplier's production sites. Thus, the platform offers a chain of custody for raw materials/fibres (and farm level) from the source





DIGITAL-2021-TRUST-01

throughout the entire value chain. Including fibre forensic audit results. Data is real-time data from different stakeholders.

The platform uses bots for automated business and certificate validations (source: <u>https://textileexchange.org/app/uploads/2021/05/Webinar-Textile-Exchange-and-</u><u>TextileGenesis-Collaboration-September-2-2020.pdf</u>)</u>

Maturity level and application sectors

Cross-industry platform with a high maturity level, more than 1500 suppliers that create sustainable products have joined Textile Genesis and more than 50 brands in the textile/fashion industry use Textile Genesis to be sure about the origins of the fibres they use. In this way they can show they are using sustainable fibres in their production chain.

Useful links:

https://textilegenesis.com/

https://textileexchange.org/app/uploads/2021/05/Webinar-Textile-Exchange-and-TextileGenesis-Collaboration-September-2-2020.pdf



The ID Factory Società Benefit

The ID Factory Srl Società Benefit

<u>The ID Factory</u> is a supply chain traceability platform (SaaS) designed to provide fashion companies visibility across their global supply chains thanks to our digital ID technology.

Our platform contributes to key operations as quality control, compliance, procurement and traceability, by using a dynamic centralized database integrated with any management system:

- TRACKING MATERIAL FLOWS: thanks to an integrated solution enabled by physical traceability of materials, we give insights on suppliers' performance.
- EXTENDING RAW MATERIAL PROCUREMENT: With real-time information for the management of orders, bill of materials, delivery lead time and forecast of orders.
- DIGITALIZING THE QUALITY CONTROL: Chemical and physical compliance of raw materials and finished products with a system that interacts with international labs (Bureau Veritas, UL, SGS, TUV).
- DIGITAL PRODUCT PASSPORT: bolstered by both physical, digital and documental traceability of materials, processes and products.



Mapping with respect to the reference framework									
Product ID	<u>Type</u>		Insta	nce	Category				
	Granularity	Мо	del	Batch		Prod. order		Si	ngle item
Product data	<u>Түре</u>	RFID	QR Code	Digital watermar k	Blu Ia	etooth abel	Bar Code		Other
carrier	Machine read	<u>able</u>	Yes			No			
	data carrier								
	<u>Resolver</u>		Yes			No			
Digital	ID minting			Centralized			Decentralized		
connector	Data storage	<u>ocation</u>		Centralized			Decentralized		





IT architecture:	<u>Openness</u> <u>level</u>	Standard	dized	zed Proprietary I		۵	Data ports	Others	
transport	Data packaging		Data transfer				ΑΡΙ		
IT	<u>Level</u>	evel			le	Advanced			
Access control	If advanced		Þ	Attribute	based	Ro	Role based		
IT architecture: Data use	Labellin	5	Enforcement				Others		
IT	<u>Evidence</u>	B	Blockchai		Verifia Creden		ble tials	Others	
architecture: Data mgmt	<u>Convenience</u>		Walle	t	Dat	ta Po	orts	Others	
features	Data protection		PETs		Anon	ymi	zation	Others	
	Traceability	1	Tagging (QR, NFC, RFI					Others	
Unique technical aspects									

The ID Factory has designed a Traceability Protocol, to set the rules to achieve greater traceability of materials, components and products and to enable a systematic and scalable data collection system along the fashion and luxury supply chains thanks to a joined digital, physical and documental traceability framework that leverages on the experience of the existing traceability standard of the industry.

We have created a mixed method for our framework:

Physical traceability through Smart-Tag labels applied to the single component or material piece, linked to the respective batch and order, enriched with the information collected through the whole production processes.



Documental traceability through the direct engagement of the supplier as data owner: direct upload of the documents on a shared data repository, a platform on cloud in our case, where each material certificate is linked to the production order and divided by product category.

The ID Factory is also ISO 27001 certified.



Maturity level and application sectors

In strategic collaboration with Sopra Steria, a world-leading system integrator, we have enhanced our capabilities and seamless implementation with the existing fashion brand management systems.

As an active participant in the Innovation Forum of the Global Fashion Agenda (GFA), The ID Factory contributes to shaping sustainable fashion practices. This coveted membership showcases our commitment to fostering innovation and traceability, positioning us at the forefront of industry transformation.

We have been recognized among the innovation provider solutions listed by the Bocconi Monitor for Circular Fashion study and as part of The Fashion for Good DIGITAL TRACEABILITY PLATFORM ANALYSIS that evaluates The ID Factory fashion readiness as 5 out of 5 with a high maturity level.

The ID Factory stands as a mature and trusted leader in traceability, empowering brands and stakeholders with our innovative Digital Product Passport solution focused on supply chain traceability and transparency.

Useful links:

TRACEABILITY PROTOCOL INNOVATION FORUM GFA BOCCONI MONITOR FOR CIRCULAR FASHION: Link 1, Link 2 FASHION FOR GOOD REPORT TRACEABILITY PLATFORM





Tings

Tings

Responsible operator and consumer focused product lifecycle support system. Durable goods and apparel. DPP ready.

Mapping with respect to the reference framework										
Product ID	<u>Туре</u>		Inst	ance			Categ	gory		
i i oddor i b	<u>Granularity</u>	Mo	odel	Bat	ch	Prod. o	rder	Single item		
	<u>Type</u> R	FID	QR Code	Digi water	tal I mark	Bluetooth label	Bar Cod	e Other		
carrier	<u>Machine reada</u> data carrier	<u>able</u>		Yes			٦	١o		
	<u>Resolver</u>			Yes			No			
Digital	ID minting			Centralized			Decentralized			
connector	Data storage le		Centralized			Decentralized				
IT architecture:	<u>Openness</u> level	Stanc	lardized	Propr	ietary	Data po	Data ports Others			
transport	Data packagin	g	Data transfer				ΑΡΙ			
IT avabitaatuvau	<u>Level</u>		Simple				Advanced			
Access control	If advanced		А	Attribute based			Role based			
IT architecture: Data use	Labellin	g		Enforcer	nent		Others			
IT	<u>Evidence</u>		Blockch	nain	Ve Cre	erifiable edentials		Others		
architecture: Data mgmt	<u>Convenience</u>		Walle	et	Da	ta Ports		Others		
features	Data protectio	<u>n</u>	PET	S	Anon	nymization	nization Others			
	Traceability		Tagging	(QR, NF	(QR, NFC, RFID)		Others			
		Uni	que techi	nical asp	ects					

Support for different taxonomies by using mapping capability.

Maturity level and application sectors

Closed MVP with users. Cross-sector. Designed to fit with DPP data and data system if similar to ESPR and CIRPASS proposal described DPP will be decided. Before DPP enforcement offers responsible operators to make as much product data digitally available as possible for consumers





to use products more responsibly, extend product consumption period, support products taken to upcycle and recycle. Currently uses based on guesswork DPP data set. System supports more data and functionality from responsible operators to consumers than predicted for DPP.





Tokenized Distributed Ledger

Circularise/Tokenized distributed ledger

Circularise is the leading software platform that provides end-to-end traceability and secure data exchange for industrial supply chains.

Mapping with respect to the reference framework									
Product ID	<u>Туре</u>		Insta	nce			Catego	γ	
	<u>Granularity</u>	М	odel	Bat	ch	Prod. or	rder	Single item	
	<u>Type</u> i	RFID	QR Code	Digi water	tal E mark	Bluetooth label	Bar Code	Other	
Product data carrier	Machine read		Yes			No			
	data carrier		100			NO			
	<u>Resolver</u>		Yes			No			
Digital	ID minting			Centralized			Decentralized		
connector	<u>Data storage l</u>	<u>!</u>	Centralized			Decentralized			
IT architecture:	<u>Openness</u> level	Openness Ievel Standar			ed Proprietary Data po			ts Others	
transport	<u>Data packagin</u>	C	Data transfer			API			
IT	<u>Level</u>		Simpl	е		Advanced			
Access control	If advanced		At	tribute	based		Role based		
IT architecture: Data use	Labellir	ıg	E	Inforcer	nent		Others		
ІТ	<u>Evidence</u>		Blockcha	ain	Ve Cree	rifiable dentials	(Others	
architecture: Data mgmt	<u>Convenience</u>		Walle	t	Dat	ta Ports	(Others	
features	Data protectio	<u>on</u>	PETs		Anon	ymization		Others	
	Traceability		Та	gging (Q	R)		Others		
	Unique technical aspects								

The patent-pending Smart Questioning makes it possible for all companies to cooperate in a trusted information exchange. In the system, companies are anonymous, remain the only owner of the data and can stop communicating it any time. They decide how much information is shared and with whom and are able to validate the answers to any question without sharing the original data. Circularise's technology allows for companies to communicate about the data of their products and for anyone to scan the QR-Code on the product in order to see the product



information or ask a Smart Question to the decentralised store of the full bill of material spread over the local databases of all suppliers reaching back to the mining stage. The anonymity and control of the amount of data shared at any moment is the only way to get all companies to cooperate and thereby overcome the issues with centralised databases that are rejected due to the risk to confidential business data.

Maturity level and application sectors

Circularise technologies allow communication on data instead of simply the data. In supply chains we often deal with data that needs to remain a secret. All normal encryption methods can be decrypted over time. We use an implementation of zero-knowledge proof (ZKP), a technology we call "Smart Questioning" that allows stakeholders to ask critical questions (e.g. "Does this plastic part contain material "x"?") to a guarded dataset of private information (e.g. the bill of materials). Practically speaking, the user sees the reference on Blockchain (hash) and by asking questions to this hash, the question is sent to every locally stored dataset of every supply chain stage. Practically speaking, it is the "interrogation" of the entirety of the supply chain of a product by asking a list of specific questions to a QR-Code or hash. As the private information is audited, so is the output.

Useful link:

www.circularise.com



Toxnot

Toxnot

Toxnot (a 3E company) is a software company with a mission to improve health and sustainability across the global supply chain by streamlining the chemical transparency process. Toxnot provides an efficient system for manufacturers to import chemicals data, provide insight into their hazard profiles, report on the results and create safer products. Organisations use Toxnot to automate transparency reporting and compliance, easily collect hazard information, and reduce risks across their global supply chain. Toxnot scales from small businesses to Fortune 500 enterprises.

	Mapping with respect to the reference framework									
Product ID	Туре	I	nstance	5			Cat	tegory		
Troductib	<u>Granularity</u>	Model		Batch		Pro	d. order	- Siı	ngle item	
	Type RF	ID	QR Code	Digi wateri	tal mark	Blueto lab	ooth el	Bar Code	Other	
Product data carrier	Machine readable	Vec				No				
	<u>data carrier</u>			163				NO		
	<u>Resolver</u>			Yes				No		
Digital	ID minting			Centra	alized		D	ecentra	ized	
connector	Data storage locat	<u>ion</u>		Centra	alized		D	ecentra	ized	
IT architecture:	<u>Openness</u> <u>level</u>	Standardi	zed	Proprie	tary	Dat	ta ports		Others	
transport	Data packaging		Data transfer				API			
IT	<u>Level</u>			Sim	ple			Advanc	ed	
Access control	<u>If advanced</u>	ed .		Attribute based			d Role based			
IT architecture: Data use	Labelling		Enforcement				Others			
іт	<u>Evidence</u>	Blo	ckchair	ı	۱ C	Verifiable Credentials		0	thers	
architecture: Data mgmt	<u>Convenience</u>	V	Vallet		C	Data Ports		0	thers	
features	Data protection		PETs		And	onymization		0	Others	
	Traceability	Та	gging ((QR, NFC	, RFID)		Other	S	

www.toxnot.com





The Toxnot Product Passport system is specifically designed to meet emerging product passport requirements, enable supplier data exchange today, and be easily expanded as guidelines evolve. Our proprietary data protections allow suppliers to mark chemicals as proprietary but users to still screen those proprietary chemicals against regulations such as EU REACH or PFAS regulations. Simplified infrastructure allows for clear ownership and low cost. Suppliers can create a Toxnot Digital Product Passport for free and can automatically create an EU REACH, EU ROHS, CA Prop 65, and Product Circularity Data Sheet as part of the free account. All data fields are aligned with industry-standard initiatives & needs and are updated as terms and usage change.

Maturity level and application sectors

The Toxnot Product Passports are live in the system and already used by X of companies. Companies can enter full chemical ingredient disclosure, compliance data, sustainability data such as embodied carbon and water use, circularity information, recycled content, end-of-life options and more. We have companies from a wide variety of sectors using the system, including industrials, building products, chemical manufacturers, packaging, electronics and more. Passports can be published as public, restricted, or private, based on each company's desire. Some notable product passport publishers include: Covestro, Novalis, Steelcase, Kohler, AEP Span, Windmöller GmbH, and more.

Follow this link to an example passport:

https://toxnot.com/Exchange/Database/Detail/d3531fe3-9750-49b9-a546-fe19f7c5d90f





S toxnot	
	 Compliance
Consultant Dashboard	Cal Prop. 65 View details
	Conflict Minerals No Data
Get Started	EU REACH SVHC Candidate List View details
	EU REACH Authorisation List No Data
My Products	RoHS No Data
Hy Materials	
C Portfolio Analytics	• Sustainability
③ Toxnot Exchange	Embodied Carbon
Edit Company Page	
Manage Permissions	kgCO2e: 23.178
(1) Mu Bublications	Product Unit: kgcO2e
The station of the stations	Scope: Cradle to Gate
(e) wy suppliers	Novalis_CN_LLT_EPD_ProductSpecific_Summary.pdf
my Surveys	Water Use
My Customers	Amount of Water Llead (litere): 0,70
Import Data	Penduet Linit L (m2
Q Chemical Hazards	Frond Craffic to Gate
i≡ Lists & Substances	
✓ Tasks	View details NS
	◆ Circularity
Fill Out Surveys	
	Packaging
Templates	Packaging is included
Subscription	Packaging Information:
Settings	Packaging is 100% recyclable.
evelyn.ritter@toxnot.com	Contact: Graham Capobianco
🖉 Evelyn's Toxnot Team	
🗘 toxnot	Designed for Re-use
toxnot	Designed for Re-use
Consultant Dashboard	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily.
Consultant Dashboard	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification
다 Consultant Dashboard	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification What % of the onduct is designed for covcline at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recorded at a
다 Get Started	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification What % of the product is designed for recycling at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality than the original content:
Sonsultant Dashboard	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification What % of the product is designed for recycling at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality than the original content: >99-100%
toxnot Consultant Dashboard Get Started My Products My Muterials	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification What % of the product is designed for recycling at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality than the original content: >90-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc:
toxnot Consultant Dashboard Get Started My Products My Materials My Portfolio Analytics	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Option: • The product is designed for re-use as-is or with minimal modification What % of the product is designed recycling at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality than the original content: >90-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc:
toxnot Consultant Dashboard Get Started My Products My Materials Mi Portfolio Analytics Toxnot Exchange	Designed for Re-use Material that is not permanently adhered can be removed. replaced an re-used easily. Option: • The product is designed for re-use as-is or with minimal modification What % of the product is designed ror recycling at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality than the original content: >99-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc: <1%
toxnot consultant Dashboard Get Started My Products My Materials Portfolio Analytics Toxnot Exchange Edit Company Page	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Option: • The product is designed for re-use as-is or with minimal modification What % of the product is designed for recycling at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality that work of the product content: >9-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc: <1%
toxnot Consultant Dashboard Consultant Dashboard My Products My Materials Portfolio Analytics Consultant Exchange Edit Company Page Manage Permissions	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification What % of the product is designed for re-use as-is or with minimal modification What % of the product is designed for content: >90-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc: <1%
toxnot Consultant Dashboard Consultant Dashboard det Started My Products My Materials Portfolio Analytics Toxnot Exchange Edit Company Page Manage Permissions My Publications	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification What % of the product is designed recycling at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality than the original content: >> 000% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc: < 1%
toxnot Consultant Dashboard Consultant Dashboard det Started My Products My Materials Mi Portfolio Analytics Toxnot Exchange Edit Company Page Manage Permissions My Publications My Publications My Starters	Designed for Re-use Material that is not permanently adhered can be removed. replaced an re-used easily. Option: • The product is designed for re-use as-is or with minimal modification What % of the product is designed ror recycling at the same level of quality. The remainder of the materials is foressen by the manufacturer to be recycled at a lower quality than the original content: >99-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc: <1%
toxnot consultant Dashboard Get Started My Products My Vaterials Portfolio Analytics Toxnot Exchange Edit Company Page Manage Permissions My Publications My Suppliers Mun Suppliers Mus Suppliers	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification What % of the product is designed for recycling at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality than the original content: • 39-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc: • 16 Recycling Instructions: Product Circularity Data Sheet View PCOS document View details
	Designed for Re-use Material that is not permanently adhered can be removed. replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification What % of the product is designed for re-use as-is or with minimal modification What % of the product is designed for coverying at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality than the original content: >90-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc: <1%
	Designed for Re-use Atterial that is not permanently adhered can be removed, replaced an re-used easily. Option: • The product is designed for re-use as-is or with minimal modification What % of the product is designed for re-use as-is or with minimal modification What % of the product is designed for re-use as-is or with minimal modification What % of the product is designed for re-use as-is or with minimal modification Recycling than the original content: <1%
toxnot Consultant Dashboard Consultant Dashboard Consultant Dashboard My Products My Varducts My Materials M Portfolio Analytics Otomary Page Manage Permissions My Publications My Suppliers My Suppliers My Surveys My Customers My Cust	Designed for Re-use Material that is not permanently adhered can be removed. replaced an re-used easily. Option: • The products designed for re-use as-is or with minimal modification What % of the product is designed for re-yoing at the same level of quality. The remainder of the materials is foressen by the manufacturer to be recycled at a lower quality than the original content: >99-100% What % of the product is designed for re-yoing at the same level of quality. The remainder of the materials is foressen by the manufacturer to be recycled at a lower quality than the original content: >99-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc: <1%
	Designed for Re-use Material that is not permanently adhered can be removed, replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification What % of the product is designed for recycling at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality than the original content: • 390-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc: • 1% Recycling Instructions: Product Circularity Data Sheet View details Supporting Documents AVA_RYME_CSISpec.docx AVA_RYME_CSISpec.docx
	Designed for Re-use Material that is not permanently adhered can be removed. replaced an re-used easily. Options: • The product is designed for re-use as-is or with minimal modification What % of the product is designed for re-use as-is or with minimal modification What % of the product is designed for re-use as-is or with minimal modification What % of the product is designed for re-use as-is or with minimal modification What % of the product is designed for content: >9-100% What % of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc: <1%



105



Trackit

Trackit Traceability Programme and Shared Measurement System

<u>Trackit</u> is a technology agnostic traceability program developed based on a set of open materials, processes and product standards that are widely adopted by the textile sector, to trace certified fiber and raw materials across the textile supply chain from source to product. It currently leverages our chain of custody, the <u>Content Claim Standard</u>, to trace third-party certified materials across the supply chain. Trackit centralises site-level verification and offers two alternatives to transaction verification:

- <u>dTrackit</u> allows certification bodies, brands and suppliers accredited/certified to our standards to access their scope certificates, transaction certificates, and traceability data in one central place.
- <u>eTrackit</u> uses new technologies to increase efficiency and integrity in traceability. It tracks the
 volume of certified material for each product (rather than the entire transaction) online via
 tokens, shows real-time inventory, and ensures peer-to-peer validation of transactions within
 a closed-loop supply chain.

Mapping with respect to the reference framework										
Product ID	Туре		Insta	Instance			Category			
i i oddor i b	<u>Granularity</u>	Moc	lel	Batch		Prod. or	rder	Single item		
	<u>Type</u> R	FID C	QR Code	Digital watermark	Blu I	etooth abel	Bar Code	Other		
Product data carrier	Machine reada	<u>able</u>		Yes			N	0		
	<u>data carrier</u>									
	<u>Resolver</u>			Yes			No			
Digital	ID minting		Centralized			Decentralized				
connector	Data storage lo	ocation		Centralized			Decent	ralized		
IT architecture:	<u>Openness</u> <u>level</u>	Standa	rdized	Proprietary	Data po	rts	Others			
transport	Data packaging	B	Data transfer			API				
IT	<u>Level</u>			Simple		Advanced				
Access control	<u>If advanced</u>		Attribute based			Role based				
IT architecture: Data use	Labellin	g	E	Enforcement			Others			
IT architecture:	<u>Evidence</u>		Blockcha	ain Ci	/erifi rede	iable ntials		Others		



Data mgmt features	<u>Convenience</u>	Wallet	Data P	orts	Others			
	Data protection	PETs	Anonymization		Others			
	Traceability	Tagging (QR, NF	C, RFID)		Others			
Unique technical aspects								

- 1. **Third-party verified.** Trackit data are third-party verified by certification bodies that are independently accredited by accreditation bodies to ISO 17065.
- Modern data architecture. Trackit is developed as a part of Textile Exchange's <u>Shared</u> <u>Measurement System</u> ("SMS", see <u>video</u>), a modern data architecture set up to track and measure the fashion, apparel and textile sector towards the <u>Climate+</u> goals.
- 3. **Open data standard.** Trackit leverages a suite of growing open data standards that Textile Exchange developed in consultation with and for the standardised reporting of the fashion, apparel, and textile sector.
- 4. Mission based. Trackit data is securely stored and governed centrally by Textile Exchange (a U.S. based 501(c)(3) not for profit with a mission to accelerate and scale global fiber and materials production that positively impacts our planet) as a single source of truth for traceable certified materials.

Maturity level and application sectors

dTrackit is operational across 30+ certification bodies, 60,000+ sites in 104 countries for 150 certified materials in organic, recycled, responsible wool, alpaca, mohair and down. This service will be extended for producer-level schemes to trace certified materials from source to product, and there is potential for site-level schemes to connect facility certifications to existing chains. As the source of truth for certified materials across six key categories in the textile sector, discussions are also underway with technology solution providers to validate the certified materials and/or facilities in their system. Access to dTrackit is based on roles: public, brand, supplier, producer, and certification body. Public access to <u>certified listings</u> and <u>transaction authentication</u> was released in November 2022. A general release is expected in the coming months. Certification body access is planned in 2023, and supplier, producer access in 2024.

eTrackit pilot for the Recycled Content Standard and Global Recycled Standard eTrackit was completed in August 2022. We are expecting to release the Recycled Content Standard and Global Recycled Standard for commercial use on eTrackit in July 2023. We will be piloting the Organic Content Standard and the Responsible Animal Fibers in June 2023 and Responsible Down Standard in 2024.







Digital Trackit[™]



SMS tools:

- Climate+ Dashboard
- Materials Production Dashboard
- Materials Change Index
- Materials Challenges Dashboard

Useful links

<u>Trackit & SMS Presentation</u>; <u>Trackit video</u>; <u>Trackit web page</u>; <u>dTrackit web page</u>; <u>eTrackit web</u> <u>page</u>; <u>Shared Measurement System video</u>; <u>Climate+ Vision</u>; <u>chain of custody</u>; <u>Content Claim</u> <u>Standard</u>; **Open data standard example** - <u>Materials, Processes & Products Classification</u>


Worldline TPD

TPD Repositories

Worldline is deeply involved in the Track and Trace activities linked to the European Regulation for tobacco manufacturers and importers and for local and European authorities.

The European Regulation (TPD and Implementing Acts) helps European authorities to fight against tobacco illicit trade by tracking all tobacco products in the European territory.

Worldline provide one stop shop solutions to EU economic operators and EU member states allowing them to comply with the regulation, for example the primary repository for importers and manufacturers of tobacco products. When necessary, Worldline also provides to its customers other ancillary services such as private repositories and connectivity modules to further secure the compliance with the regulation.

	Mapping with respect to the reference framework												
Product ID	Туре		Insta	nce			Categ	gory					
	<u>Granularity</u>	Mod	el	Bato	h	Prod. o	rder	Single item					
	<u>Type</u> F	FID Q	R Code	Digit watern	al E nark	Bluetooth label	Bar Code	Other					
Product data carrier	<u>Machine reada</u> data carrier	able		Yes			Ν	10					
	<u>Resolver</u>			Yes			No						
Digital	ID minting			Centraliz	ed		Decentralized						
connector	Data storage lo	ocation		Centraliz	ed	Decentralized							
IT architecture:	<u>Openness</u> level	Standaı	ardized Proprietary			Data po	orts	Others					
transport	<u>Data packagin</u>	g	Data transfer				Д	NPI					
IT such its struct	<u>Level</u>			Simple	9		Advanced						
Access control	If advanced		At	tribute b	ased		Role based						
IT architecture: Data use	Labellir	g	Enforcement				hers						
IT	<u>Evidence</u>		Blockch	ain	Ve Cre	rifiable dentials		Others					
architecture: Data mgmt	<u>Convenience</u>		Walle	t	Dat	ta Ports		Others					
Data mgmt features	Data protectio	n	PETs		Anon	ymization		Others					
	Traceability	-	Fagging	(QR, NFC	, RFID)		Otl	hers					

Unique technical aspects

In order to ensure business continuity and no loss of data as per EU regulation, Worldline implemented on their private cloud infrastructure a fully redundant platforms architecture using different data-centres (active and passive). This architecture allows an instant platform switch in case of major disaster. All used technologies are fully redundant at several levels (Openshift and CaaS management, MySQL management, Elastic stack and RabbitMQ, Cassandra storage, WebDAV and Webscale).





Worldline is operating 6 regulated primary repositories and 5 manufacturer centralised Track and Trace systems since 2019 to support to EU tobacco product directive implementing regulation.

This is representing the management of:

- 25 billion unique products traced a year;
- 100 billion of product related tracking events a year and;
- 30 Terabytes of data processed and stored a year.





TRACE

TRACE

TRACE is a web-based platform functioning as an established approach to collect ASM traceability data to ensure chain of custody documentation, transparency on contamination risks and provide traceability reports and export documentation to our clients

	Mapping	with re	spect to t	he referen	ce frame	ework			
Product ID	Туре		Insta	ince			Catego	ory	
FIODUCCID	<u>Granularity</u>	Mc	odel	Batch		Prod. or	der	Single item	
	<u>Type</u> F	FID	QR Code	Digital waterma	Blue rk la	etooth abel	Bar Code	Other	
Product data	Machine reada		Yes		No				
Currier	<u>data carrier</u>			105					
	<u>Resolver</u>			Yes		No			
Digital	ID minting			Centralized	ł	Decentralized			
connector	<u>Data storage le</u>	ocation		Centralized	ł	Decentralized			
IT architecture:	<u>Openness</u> <u>level</u>	Stand	lardized	Proprieta	ary	Data ports Others			
transport	<u>Data packagin</u>	g	ſ	Data transfe	er		A	א	
IT.	<u>Level</u>			Simple		Advanced			
Access control	If advanced		At	tribute bas	ed	Role based			
IT architecture: Data use	Labellin	g	E	Enforcemer	nt		Oth	ers	
іт	<u>Evidence</u>		Blockch	ain	Verifi Creder	erifiable Other			
architecture: Data mgmt	<u>Convenience</u>		Walle	t	Data F	Ports		Others	
features	Data protectio	<u>n</u>	PETs	/	Anonym	ization		Others	
	Traceability		Tagging	(QR, NFC, R	(FID)	Others			
		Uni	que techn	ical aspect	S				

The tech solution is in production since 2019, TRACE 2.0 will adopt a miro-service architecture to ensure agility, improved traceability, easier debugging and maintenance. This will be based on a cloud formation infrastructure on AWS to enhance security, quality, maintainability, and data integration. Possible tech stack could be based on Elixir with PostgreSQL DB.





Maturity level and application sectors

TRACE version 1.0 was launched in 2019, current work is on TRACE 2.0. TRACE is used by RCS clients to trace monitored ASM material from pit/ tunnel to export, with potential expansion to extend traceability to cover the entire value chain.

Note: the dataset used for demonstration is a dummy one







RCS Global	=								🛓 Kamana Felix
MAIN NAVIGATION	Collection Tal	h							-
🛎 Business Steps 🛛 🗸		-							
Collection	Mine Site	Fr	rom:	To:	00	Drint			
Reception	Nyakabin	go v	2022-10-01	2022-10-51	GO	Fint			
Processing	Date	Monitor	Mine Site	Form No	Bag No	Bag BV	Weight	Тад	Parent Uuid
Evacuation Blending	2022-10-01	Godfrey Kamanzi	Nyakabingo	19491, 19492	38	TAILINGS	43	00260627	36cbdbc4648e416
Exportation	2022-10-03	Godfrey Kamanzi	Nyakabingo	19493, 19494	36	51/40	5 4	00000005	1004020079270
	2022-10-09	Silas Rutanga	Nyakabingo	19257, 19258, 19259	0	8010	51	00260625	1664625579278
	2022-10-07	Silas Rutanga	Nyakabingo	19251, 19252	45	BV9	27.5	00260624	36cbdbc4648e416
	2022-10-06	Silas Rutanga	Nyakabingo	19499, 19500	42				1664625579278
	2022-10-05	Silas Rutanga	Nyakabingo	19497, 19498	39	BV10	31.5	00260626	36cbdbc4648e416 1664625579278
	2022-10-04	Silas Rutanga	Nyakabingo	19495, 19496	37	BV9	57	00260622	36cbdbc4648e416
	2022-10-12	Godfrey Kamanzi	Nyakabingo	19266, 19267, 19268	52				1664625579278
	2022-10-13	Godfrey Kamanzi	Nyakabingo	19269, 19270, 19271	53	BV9	60.5	00260621	36cbdbc4648e416 1664625579278
	2022-10-14	Godfrey Kamanzi	Nyakabingo	19272, 19273, 19274	48	BV9	56.5	00260623	36cbdbc4648e416
									1664625579278
	۲ 1 2	3				BV12A	47.5	00260620	36cbdbc4648e416 1664625579278
RCS TRACE	=								ଚ
									44
MAIN	Home / 1	ag_tracker							





. . .

TRICK

TRICK

Product data TRaceability Information management by BloCKchains interoperability and open circular service marketplace. TRICK Project arises from the need from the Textile and clothing industry to be more transparent and traceable, easing the transition from linear to circular. The TRICK project consists of providing a complete, reliable, SME-affordable and standardised platform to support the adoption, tracing and demonstration of sustainable and circular approaches, secured by Blockchain enabling the enterprises to collect product-secured data.

TRICK's main goal is to provide affordable and standardised enablers to move SMEs closer to a circular economy. The achievement of this objective will come through the creation of a platform for the management of circular product information based on data collection and secured by Blockchain. The TRICK platform will perform the collection and data management of secure product data all along the supply chain together with a set of six services available in an open B2B marketplace.

Mapping with respect to the reference framework											
	Туре		Insta	ance			Ca	ategory	1		
Product ID	<u>Granularity</u>	Moc	lel	Bat	ch	Pro	od. ord	er	Single item		
	<u>Type</u>	RFID	QR Code	Digi wateri	tal mark	Bluetoo label	oth	Bar Code	Other		
Product data carrier	<u>Machine read</u>	<u>able</u>	Yes					No			
	<u>Resolver</u>			Yes				No			
Digital	ID minting	Centralized					Decentralized				
connector	Data storage l	ta storage location			Centralized			central	lized		
IT architecture:	<u>Openness</u> level	Standa	rdized	dized Proprietary			Data ports Others				
transport	<u>Data packagin</u>	g		Data tra	nsfer		API				
IT such its struct	<u>Level</u>			Simp	le		Advanced				
Access control	If advanced		Ļ	Attribute	based		Role based				
IT architecture: Data use	Labelli	ng		Enforcer	ment			Other	S		
IT architecture:	<u>Evidence</u>		Blockch	nain	Ve Cre	erifiable edentia	e Is	C	others		





Data mgmt	<u>Convenience</u>	Wallet	Data Ports	Others					
features	Data protection	PETs	Anonymization	Others					
	Traceability	Tagging (QR, NF	C, RFID)	Others					
Unique technical aspects									

Typically, the modern IT platform architectures are based on several services, i.e... data storage, database, core services to perform specific functionality. The micro-service approach, proposed in TRICK, uses loosely coupled, collaborating services to enable rapid development and deployment and adoption of simple communication protocols, synchronous or asynchronous. The figure depicts TRICK microservice architecture where data coming from end users is collected and managed by a set of microservices (e.g. data collection, data storage and ecosystem data manager). Traceability micro-services are responsible for managing data stored in the blockchain and to implement the traceability functionality. The basic functionalities, provided by core services are exposed by public platform APIs micro-service. This service is the touch point among the core services, the marketplace, the business services and B2B platform. The business services offered by TRICK platform are: social assessment, health protection, traceability dashboards, PEF and CO2 footprint, Product Certification of Origin (PCO), circular assessment, anti-counterfeiting, AI for BC services. In the proposed approach, each business service is a microservice. By following the same approach, marketplace microservices contain this application and B2B platform. The goal of B2B platform is to offer access directly to TRICK public APIs to build external application based on TRICK services.





Considering the technical aspects of the TRICK platform traceability and PCO as core of the TRICK solution are on a good maturity level. The smart contracts have already been implemented to be used on the Blockchains both public and private.

The TRICK platform is addressed specifically for the textile sector which end users are represented on the project consortium covering the whole textile value chain for both technical and fashion textiles. The solution will be validated by the textile industrial users on two pilots and a replication for the food sector, as well represented on the project.

Link: https://www.trick-project.eu/



TrusTrace

TrusTrace

Supply chain transparency and product traceability SaaS platform for global fashion and retail brands.

TrusTrace is a leader in fashion supply chain traceability. Our SaaS technology empowers brands and suppliers around the world to standardize how supply chain and material traceability data is captured, digitized and shared. With all trusted supply chain traceability data stored on a single platform, brands get the right evidence in the right place to back-up product claims and meet regulatory compliance. Trustrace is based in Stockholm, Sweden, with offices in India (Coimbatore), France and the US. We currently have a 100+ strong team and solid experience in delivering large scale traceability programs.

Mapping with respect to the reference framework											
Product ID	<u>Туре</u>		Insta	nce			C	atego	ry		
i i oudet i b	<u>Granularity</u>	Moo	del	Batcl	h	Pro	od. orde	er	Sin	gle item	
	<u>Type</u>	RFID	QR Code	Digi wateri	tal mark	Blue la	tooth bel	Baı Cod	r le	Other	
Product data carrier	<u>Machine reada</u> <u>data carrier</u>	i <u>ble</u>		Yes				Ν	10		
	<u>Resolver</u>			Yes				Ν	10		
Digital	ID minting			Central	ized		[Decen	trali	zed	
connector	Data storage lo	ocation		Central	ized	Decentralized			zed		
IT architecture:	<u>Openness</u> <u>level</u>	Standa	rdized Proprietary			D	ata por	ts		Others	
transport	Data packaging	3	Data transfer					А	PI		
IT	<u>Level</u>		Simple					Adva	ance	d	
Access control	If advanced		Attribute based				Role based			ed	
IT architecture: Data use	Labellir	ıg		Enforcement			Others				
ІТ	<u>Evidence</u>		Blockcl	nain	۱ د	/erifia reden	ble tials		Ot	hers	
architecture: Data mgmt	<u>Convenience</u>		Wall	et	C	Data Po	orts		Ot	hers	
features	Data protectio	<u>n</u>	PET	S	And	onymi	zation	Others		hers	
	Traceability		Tagging	g (QR, NF	C, RFID)		Otl	hers		



Unique technical aspects

Trustrace is SAAS platform which is built for scale. And configurable for multiple use cases. We have ultra large fashion brands recording millions of transactions per month. Platform includes Extraction Framework (OCR) over 80% accuracy Entity Customization (Extending any entity without code). Data warehouse for analytics (Includes Power BI). Integrations with Rest API and Excel. Event triggers (webhooks for brands).

TrusTrace's technology stack and automation is ISO 27001 certified which means it meets rigorous information and data protection standards with its information security practices keeping user data secure.

Maturity level and application sectors

Trustrace was founded in 2016 and is currently a trusted traceability solution provider for more than 45 Brands. TrusTraces core customer are global enterprise scale fashion and retail brands such as Adidas, OTB and Fast Retailing. Trustrace operates worldwide with most customers in Europe and the US.

Trustrace already has a small version of the Digital Product Passport i.e.:

https://m.trustrace.com/product/Residus/en/CYRIL-DRESS/product-journey

TrusTrace is leading the textile group for the development of the DPP in Sweden under the Trace4Value project, where we are also testing RFID technology as well as looking into the use of resolvers: https://trace4value.se/

Trustrace has recently launched the Traceability Playbook as an industry initiative:

https://trustrace.com/traceability-playbook-fashion-supply-chains



119



Twintag

Twintag

Twintag is an all-in-one connected products platform, bringing digital information and workflows to physical products and assets. All with a single scan of a unique (QR) code. Access this wealth of information with any smartphone; no apps or accounts required. A product becomes a single, bidirectional point of contact for everything from product manuals, logistical flows, safety and transparency information to services such as repair, recycle, reuse, maintenance and support. It is essential to understand that the same product tag can serve an unlimited number of flows and experiences, conducted by an unlimited number of personas. External parameters such as time and location can fully drive the function and UI. Most solutions typically start with a simple value proposition and evolve over time as driven by user feedback.

	Mapping	with re	spect to t	he refer	ence fr	rame	work			
Product ID	<u>Туре</u>		Insta	ance				Cate	gory	
	<u>Granularity</u>	Mo	del	Bat	ch		Prod. oı	rder	Single	item
	<u>Type</u> R	FID	QR Code	Digi water	tal mark	Blue la	tooth bel	Baı Cod	e C)ther
Product data carrier	<u>Machine reada</u> data carrier	<u>ible</u>		Yes				1	No	
	<u>Resolver</u>	Yes					No			
Digital	ID minting			Centrali	zed			Decer	tralized	
connector	<u>Data storage lo</u>	ocation		Centrali	zed		Decentralized			
IT architecture:	IT <u>Openness</u> Sta ecture: <u>level</u> Sta		Standardized Proprietary				Data ports C			ers
transport	Data packaging	E .	Data transfer					ļ	\ PI	
IT	<u>Level</u>		Simple				Advanced			
Access control	If advanced		Attribute based				Role based			
IT architecture: Data use	Labellin	g	Enforcement				Others			
ІТ	<u>Evidence</u>		Blockch	ain	V Cr	erifia eden	able Itials		Other	S
architecture: Data <u>mgmt</u>	<u>Convenience</u>		Walle	et	Da	ata P	orts		Other	S
Data mgmt features	Data protectio	<u>n</u>	PETs	;	Ano	nymi	zation		Other	S
	Traceability		Tagging	(QR, NF	C, RFID)	Others			





Twintag fully embraces today's polyglot world. We offer our own proprietary APIs that optimize for developer friendliness. In addition, we offer support for a variety of standards and connectors to a diverse range of data management and other IT systems. In the same vein we offer our own UUID based IDs as well as support for GS1 Digital Link and bring-your-own-ID.

Finally, we offer an all-in-one solution from a fully managed SaaS platform for hosting the digital data and experiences behind each code, to customization services and even the physical tagging of products via our partner network. This includes a comprehensive language and text framework where all application texts can be maintained and new language options created, while the UI will default to the detected platform locale.

Maturity level and application sectors

Fully operational solution (TRL9), faithfully serving industry leading enterprise customers such as ExxonMobil Chemical, Katoen Natie, Equans, Kiwa, Tricorp - manufacturing and/or servicing millions of products/assets. We're active in a diverse set of industries from petrochemicals, rental services, industrial manufacturing, and textiles to furniture and mattresses.

Recent R-Cycle Digital Product Passport project for certified circular packaging, which Twintag developed together with ExxonMobil, Reifenhäuser and Comexi:



Recent Digital Product Passport initiative enabling circularity in workwear that was started up at workwear company Tricorp, in collaboration with Twintag's partner EE Labels, a label manufacturer with in-house capabilities to weave serialized QR codes:







The underlying rationale for our customers, and thus of the Twintag value proposition, is to realize multiple strategic business outcomes through the same unique digital twin - or "twintag" - of their product:







Vine

VINE

Vine is a Cloud based Platform for Supply chain visualisation, ESG & DD performance management, audit programme overview and supply chains risk mitigation

Mapping with respect to the reference framework											
Product ID	<u>Туре</u>		Insta	nce				Cate	gory		
FIGURE	<u>Granularity</u>	Mo	odel	Bat	ch	1	Prod. o	rder	Sii	ngle item	
	<u>Type</u> F	RFID	QR Code	Digi [.] wateri	tal mark	Blue la	tooth bel	Baı Cod	e	Other	
Product data carrier	Machine read	<u>able</u>		Yes			No				
	data carrier										
	<u>Resolver</u>			Yes				No			
Digital	ID minting			Centralized				Decentralized			
connector	<u>Data storage l</u>	ocation		Centralized			Decentralized				
IT architecture:	<u>Openness</u> level	Stand	ardized Proprietary				Data ports Others				
transport	<u>Data packagin</u>	g	Data transfer					ŀ	\ PI		
IT.	<u>Level</u>		Simple				Advanced				
Access control	If advanced		At	Attribute based				Role based			
IT architecture: Data use	Labellir	ng	E	inforcen	nent			Ot	hers		
іт	<u>Evidence</u>		Blockcha	ain	Verifiable Credentials			Ot	hers		
architecture: Data mgmt	<u>Convenience</u>		Wallet	t	Da	ata P	orts		Ot	hers	
features	Data protectio	<u>on</u>	PETs		Anor	nymi	zation		Ot	hers	
	Traceability		Tagging (QR, NFC	C, RFID)			Ot	hers		
		Uni	que techn	ical aspe	ects						

At the moment Vine is a cloud platform hosted on Heroku, using Elixir with Phoenix framework and LiveView as core for the backend and also Javascript (AlpineJS) and GraphQL, all connected to PostgreSQL DBs. As the system is constantly scaling and expanding some of the elements of tech stack and architecture could be updated in Q1-2 to provide better performance and security for more mature products and allow future scaling. Part of Vine is customised fork of Balkan library



that was optimised towards supply chain mapping and could be regarded as a unique technical solution.

Maturity level and application sectors

VINE version 1.0 was launched in early 2022, current work is on version 1.5 as well as VINE Battery Passport extension. VINE is a platform used by various value-chain stakeholders' functioning in the mining, manufacturing, and automotive sectors. It offers clients a wide range of services including multi-tier supply chain visualisation, ESG & Due Diligence performance management, and audit programme overview.

The idea of Vine is to be a central element of multi-tool platform for multiple ESG and sustainability due diligence and risk management tools tailored towards particular business use cases (so the platform could work in connection with RCS Battery Passport & RCS Trace and other, depending on the business goals and case of the customer).

Email address	
Forgot password? LOG IN Terms and Conditions	



DIGITAL-2021-TRUST-01

DPP-Related Initiatives-V2

	Ove	rview Ma	ip Su	Ippliers CA	P	Q Search se	uppliers	
	su	PPLIER FILTERS		Supplier Type	~	Country		~
	Ma	terial	~	Supplier Status	~	Training Received	1?	~
	AU	DIT FILTERS		Audit Score	~	Audit Status		~
	Тур	be of Audit	~	Audit Material Type	~	Conformance Sco	ores	~
	Rep	port uploaded?	~	ISO 14001 🗸	ISO 45001 🗸	CAP status		~
	CA	P File Uploaded?	~	Mapped only?	~	CLEAR ALL	SEARCH	
0	*	Supplier Name ^	Status	Supplies to	Туре	Audit Score	Ç Country	î (
		Demo Battery Su	Verified	Demo OEM 11	Battery Supplier	1%	Canada	
		Demo Battery Su	Verified	Demo Refiner 41	Battery Supplier	37%	South Sudan	
	EM SUF			CATHODE PRODUCER		TREATMENT UNI	ASM M	INE
DI	Over		Y SUPPI	Depliers CAP	ROJECT			
•	Overv	view Audit Status	CAP Status	Supplier Types	Material Groups		0	I ?
L		e e e e e e e e e e e e e e e e e e e	Managements and an analysis of the second s		Alter and a second	Image: Section of the section of t	Management and the first second secon	



• •



VINE	Q Se	arch projects	Sort by
			CREATE OPEN PROJ
Demo Lithium Supply Cl Project	hain		
Audit Score		Audits in Programme	
AVERAGE AUDIT SCORE	27%	TOTAL NUMBER	
Audit Statuses			
Completed 6	📋 Scheduled 0	Notified 0	Not Audited 50
OVERVIEW	МАР	SUPPLIERS	САР
·			
Demo Battery Supply Ch	nain		
Demo Battery Supply Ch Project	nain	Audits in Programme	
Demo Battery Supply CH Project Audit Score	nain 42%	Audits in Programme	
Demo Battery Supply CH Project Audit Score AVERAGE AUDIT SCORE Audit Statuses	nain 42%	Audits in Programme TOTAL NUMBER	
Demo Battery Supply CH Project Audit Score AVERAGE AUDIT SCORE Audit Statuses Completed 18	Scheduled 0	Audits in Programme TOTAL NUMBER	Not Audited 8
Demo Battery Supply CP Project Audit Score AVERACE AUDIT SCORE Audit Statuses Completed 18 Suppliers in Chain 26	Scheduled 0	Audits in Programme TOTAL NUMBER	Not Audited 8
Demo Battery Supply CP Project Audit Score AVERACE AUDIT SCORE Audit Statuses Completed 18 Suppliers in Chain 26 OVERVIEW	MAP	Audits in Programme TOTAL NUMBER	Not Audited 8



whatt.io

Product Life Cycle and Digital Spare Parts platform (whatt.io)

whatt.io is a cloud-based platform that allows businesses and consumers to access information, authenticate products, and order spare parts. Through a combination of NFC technology and QR codes, whatt.io enables users to simply tap their smartphones on products for instant access to relevant data, eliminating the need for apps. The accompanying app is used for fabrication and creating the token-based link to the physical product's metadata. The cloud-based administration of whatt.io is comprehensive, allowing for the management of complete product assemblies, sub-products, components, and a spare part library. The platform also features the 3MF Vault, a secure token and blockchain-based repository for protecting digital assets, such as production CAD models. whatt.io offers unique features that enhance authentication and safeguard digital IP and copyrights. By leveraging tokens and distributed data, the platform ensures secure access and protects intellectual property. The system is designed for seamless integration with other systems through API, enabling data sharing and retrieval.

	Марр	ing with r	espect to	o th	e reference fr	ame	work				
Product ID	<u>Type</u>		Inst	tan	ce			Cate	gory		
	<u>Granularity</u>	Moc	lel		Batch		Prod. o	rder	Sir	ngle item	
	<u>Түре</u>	RFID	QR Coc	le	Digital watermark	Blu	ietooth label	Bar C	ode	Other	
Product data carrier	<u>Machine read</u> data carrier	able	<u>y</u> Yes					No			
	<u>Resolver</u>			Yes					No		
Digital	ID minting			Centralized				Decei	ntraliz	zed	
connector	Data storage	location		Centralized			Decentralized				
IT architecture: Data transport	<u>Openness</u> <u>level</u>	Stand	ardized		Proprietary		Data ports Others)thers	
·	<u>Data packagir</u>	ng		۵	Data transfer		API				
IT architecture:	<u>Level</u>				Simple		Advanced			d	
IT architecture: Access control	If advanced			At	tribute based		Role based			d	





T architecture: Data use	Labelling		Enforce	Enforcement		Others	
IT architecture: Data mgmt features	<u>Evidence</u>	В	lockchain	Verifiable Credentials		Others	
	<u>Convenience</u>		Wallet	t Data Port		Others	
	Data protection		PETs	Anonymization		Others	
	Traceability	-	Tagging (QR, NFC	C, RFID)	Others		
Unique technical aspects							

- 1. Cloud-based multi team and multiuser platform using only a web browser
- 2. Simple user access to product information by tapping the products NFC tag without using any APP installed.
- 3. Processes include embedding the NFC's inside the material.
- 4. App used for fabrication and creating token-based links to physical product metadata.
- 5. Comprehensive cloud-based administration for managing product assemblies, sub-products, components, and spare parts library
- 6. **3MF** Vault for secure storage of digital assets
- 7. Unique features enhancing authentication and protecting digital IP and copyrights
- 8. API integration for seamless data sharing and retrieval
- 9. Digital spare parts that allow for immediate order of parts in decentralized e-commerce applications or direct download of 3D asset for local manufacturing (Additive Manufacturing)
- 10. Support for circular models, 7Rs
- 11. No prototype, technology in use and open as freemium

Maturity level and application sectors



<u>whatt.io</u> is a mature and fully functional cloud-based platform. All apps for both Apple iOS and Google Android are available to be downloaded and used. The system is used in multiple industries like industrial, construction, additive manufacturing, furniture, accessories, electronics and building components.

The main functionality of <u>whatt.io</u> is sustainable products made from recycled materials and 3D printing plays a major role. As the solution handles very complex and multi-level substructure of products it is likely to attract products and brands that have multiple levels of spare parts and allow for refurbishment, remake, repair and recycle. Eprel, and MSD, MSDS, SVHC, RoHS, EPD certificates are standardised data sets in the system. The focus of development has been to build a system that can protect original products and also protect IP and copyright on the digital assets used for repairs for example.

Useful links:

Seminar about circular economy <u>whatt.io</u>. <u>https://youtu.be/xyH-quNg2_Y</u> Parts and assemblies: <u>https://youtu.be/mEy0LqQB1aU</u> Getting started: <u>https://youtu.be/sJTFUanPa_g</u>









Material Info

Vare

. .

LAVE







ZVEI DPP4.0

DPP 4.0

The Digital Product Passport 4.0 (DPP4.0) is an industry-ready way of collecting and providing product information in a human- and machine-readable format for different parties, such as companies, authorities, and users. The DPP4.0 can include all product information of the complete product lifecycle, which enables different use-cases. Furthermore, by having the product documentation that today must be provided in paper in a digital format, paper waste can be reduced across the industry and sustainability can be increased.

Mapping with respect to the reference framework									
	<u>Түре</u>	Instance				Category			
Product ID	<u>Granularity</u>	Model	Batch		h	Prod. orde		r	Single item
Product data carrier	<u>Type</u> RFI	D Q	R Code	Digi water	ital mark	Bluetoo label	oth I	Bar Code	Other
	<u>Machine readab</u> data carrier	<u>le</u>		Yes			No		
	<u>Resolver</u>	Yes				No			
Digital	ID minting		Centralized				Decentralized		
connector	Data storage loc	ation	Centralized				Decentralized		
IT architecture	Openness level	Standardiz	zed	Pi	roprietary		Da po	ata orts	Others
transport	Data packaging		Data transfer				API		
IT avabitaatuura	IT <u>Level</u> architecture : Access control			Simple			Advanced		
: Access control			Attribute based				Role based		
IT architecture : Data use	Labelling	Enfo		Enforce	forcement		Others		
IT architecture : Data mgmt features	<u>Evidence</u>	Bl	Blockchain		Verifiable Credentials		e Is	Others	
	<u>Convenience</u>		Wallet		Data Ports		S	Others	
	<u>Data</u> protection		PETs		Anonymization		ion	Others	
	Traceability	Tagging (QR, NFC, RFID)				Others			



Unique technical aspects

The DPP4.0 combines the unique identification of product instances, product types, batches or lots via identification link (IEC 61406) and information transfer with the Asset Administration Shell (AAS, IEC 63278) that offers a semantically unambiguous description of product information in a machine-readable format in accordance with ECLASS and/or IEC CDD. Via the ID-Link, the information can be accessed and used in different processes across companies, authorities, and users. In the AAS product information is organized in sub-models which are a collection of properties that can be standardised. Additional submodels can be added based on use-cases. Access to the information can be controlled via attribute-based access control. The AAS can be stored/hosted decentrally, e.g., on the infrastructure of the companies as well as on infrastructure offered by third parties and data-providers. The identification link and the AAS are IEC standards to ensure that the DPP4.0 is accessible and usable for all companies and products.

Maturity level and application sectors

The identification link connects a physical asset with its digital representation in form of the AAS. The AAS is an IEC standard in development and used by many companies in the industrial sector. For the AAS especially, a user organisation in form of the IDTA (Industrial Digital Twin Association) was found in 2021 with 23 members which increased to more than 70 members today. Associated companies are mainly in the electric and digital industry, the battery sector as well as manufacturing. On the SPS Nuremberg 2022, 27 companies presented use-cases that included the AAS. The ZVEI manages the project "ZVEI-Show-Case PCF@Control Cabinet" to demonstrate the DPP4.0 with the example of a control cabinet. Around 30 companies are associated with this project of which many were able to provide the needed AAS and ID-Link for the DPP4.0. Note that the DPP4.0 is not limited to these sectors as the underlying technology can be used in different sectors as well.

Useful links:

ZVEI-Show-Case: <u>ZVEI-Show-Case PCF@ControlCabinet - zvei.org</u> IDTA Members and Partners: <u>Members & Partners - IDTA English (industrialdigitaltwin.org)</u> The ZVEI-Show-Case on the Digital Summit 2022:







How the DPP4.0 can be used in company processes across the supply chain using the example of product carbon footprint (PCF) calculations:

	zvei			ZVEI Product Carbon Footprint Showcase	
ZVEI-Show-Case PCF@Control Cabinet	1642.5 kg coze	Ì		1761.7 kg co _z e	
ideas	Real Economic Control Cabinet PCF Demo	Ð	12	रण्डां हिन्द	
STEMENS	Zvel Control Cabinet PCF Demo	>		Zvei Control Cabinet PCF Demo	
wöhner	Knick > Knick_P42000_2357292			Wall-mounted cooling unit Blue et	
	cyber® simce® drive 2	€		Keick > Knick_P42000_2357292	
	CERNING ATP-ST 4	€		cyber© simco© drive 2	
	DESERTE US-EMLP (15X5)	€	• \$6549£	DECENSES ATP-ST 4	
	ABB Combination - SACE Emax 2	Ð		US-EMLP (15X5)	
	ABB SACE Emax 2	•	for virtual	ABB Combination - SACE Emax 2	
FEETO	ABB SACE Emax 2 Fixed Part	Ð	assembly	ABB SACE Emax 2	
	57-1500, DQ 32x24VDC/0.5A HF	•		ABB SACE Emax 2 Fixed Part	

Left shows the control cabinet and its digital twin without the climate control unit (orange box). The blue box of the digital twin shows the current PCF value. When the climate control unit is added in the assembly process, the ID-Link can be scanned to retrieve the product information for the climate control unit. This information can than automatically be used to update the digital twin of the now completely assembled control cabinet, including its PCF value.

